



*TWENTY-SECOND
INTERNATIONAL
CONGRESS
ON LARGE DAMS*

*VINGT-DEUXIÈME
CONGRÈS
INTERNATIONAL
DES GRANDS BARRAGES*

*18-23 JUNE 2006
BARCELONA - SPAIN*

AVERTISSEMENT EXONÉRATION DE RESPONSABILITÉ :

Les informations, analyses et conclusions auxquelles cet ouvrage renvoie sont sous la seule responsabilité de leur(s) auteur(s) respectif(s) cité(s).

Les informations, analyses et conclusions contenues dans cet ouvrage n'ont pas force de Loi et ne doivent pas être considérées comme un substitut aux réglementations officielles imposées par la Loi. Elles sont uniquement destinées à un public de Professionnels Avertis, seuls aptes à en apprécier et à en déterminer la valeur et la portée et à en appliquer avec précision les recommandations à chaque cas particulier.

Malgré tout le soin apporté à la rédaction de cet ouvrage, compte tenu de l'évolution des techniques et de la science, nous ne pouvons en garantir l'exhaustivité.

Nous déclinons expressément toute responsabilité quant à l'interprétation et l'application éventuelles (y compris les dommages éventuels en résultant ou liés) du contenu de cet ouvrage.

En poursuivant la lecture de cet ouvrage, vous acceptez de façon expresse cette condition.

NOTICE - DISCLAIMER :

The information, analyses and conclusions referred to herein are the sole responsibility of the author(s) thereof.

The information, analyses and conclusions in this document have no legal force and must not be considered as substituting for legally-enforceable official regulations. They are intended for the use of experienced professionals who are alone equipped to judge their pertinence and applicability and to apply accurately the recommendations to any particular case.

This document has been drafted with the greatest care but, in view of the pace of change in science and technology, we cannot guarantee that it covers all aspects of the topics discussed.

We decline all responsibility whatsoever for how the information herein is interpreted and used and will accept no liability for any loss or damage arising therefrom.

Do not read on unless you accept this disclaimer without reservation.

VOLUME

1

QUESTIONS 84

TRANSACTIONS

COMPTES RENDUS

*Published by the
International Commission
on Large Dams*

*Publiés par
la Commission Internationale
des Grands Barrages*

151, bd Haussmann, 75008 Paris, France
Tél. : 33 (0) 1 40 42 68 24 - Fax : 33 (0) 1 40 42 60 71
<http://www.icold-cigb.org> and www.icold-cigb.net
E-mail : secretaire.general@icold-cigb.org

AVERTISSEMENT EXONÉRATION DE RESPONSABILITÉ :

Les informations, analyses et conclusions auxquelles cet ouvrage renvoie sont sous la seule responsabilité de leur(s) auteur(s) respectif(s) cité(s).

Les informations, analyses et conclusions contenues dans cet ouvrage n'ont pas force de Loi et ne doivent pas être considérées comme un substitut aux réglementations officielles imposées par la Loi. Elles sont uniquement destinées à un public de Professionnels Avertis, seuls aptes à en apprécier et à en déterminer la valeur et la portée et à en appliquer avec précision les recommandations à chaque cas particulier.

Malgré tout le soin apporté à la rédaction de cet ouvrage, compte tenu de l'évolution des techniques et de la science, nous ne pouvons en garantir l'exhaustivité.

Nous déclinons expressément toute responsabilité quant à l'interprétation et l'application éventuelles (y compris les dommages éventuels en résultant ou liés) du contenu de cet ouvrage.

En poursuivant la lecture de cet ouvrage, vous acceptez de façon expresse cette condition.

NOTICE - DISCLAIMER :

The information, analyses and conclusions referred to herein are the sole responsibility of the author(s) thereof.

The information, analyses and conclusions in this document have no legal force and must not be considered as substituting for legally-enforceable official regulations. They are intended for the use of experienced professionals who are alone equipped to judge their pertinence and applicability and to apply accurately the recommendations to any particular case.

This document has been drafted with the greatest care but, in view of the pace of change in science and technology, we cannot guarantee that it covers all aspects of the topics discussed.

We decline all responsibility whatsoever for how the information herein is interpreted and used and will accept no liability for any loss or damage arising therefrom.

Do not read on unless you accept this disclaimer without reservation.

VOLUME

1

QUESTIONS 84

TRANSACTIONS

COMPTES RENDUS

*Published by the
International Commission
on Large Dams*

*Publiés par
la Commission Internationale
des Grands Barrages*

*151, bd Haussmann, 75008 Paris, France
Tél. : 33 (0) 1 40 42 68 24 - Fax : 33 (0) 1 40 42 60 71
<http://www.icold-cigb.org> and www.icold-cigb.net
E-mail : secretaire.general@icold-cigb.org*

THE UNIVERSITY OF CHICAGO
LIBRARY

TRANSACTIONS

COMPLETE RECORDS

1840-1841

THE UNIVERSITY OF CHICAGO
LIBRARY
540 EAST 57TH STREET
CHICAGO, ILLINOIS 60637
TEL: 773-936-3300
WWW.CHICAGO.LIBRARY.EDU

**TWENTY-SECOND CONGRESS ON LARGE DAMS
VINGT-DEUXIÈME CONGRÈS DES GRANDS BARRAGES**

TRANSACTIONS

COMPTE RENDUS

GENERAL TABLE OF CONTENTS

TABLE GÉNÉRALE DES MATIÈRES

VOLUME I

Questions discussed at preceding Congresses.	Questions discutées aux précédents Congrès.
Questions for the 22nd Congress.	Questions pour le 22 ^e Congrès.
Papers and Communications submitted	Rapports et Communications présentés
1) Numbers per countries.	1) Nombres par pays.
2) Recap table per Congresses.	2) Tableau récapitulatif par Congrès.
3) Recap table of numbers per countries.	3) Tableau récapitulatif des numéros par pays.
Wording of Question 84.	Libellé de la Question 84.
Table of Contents of Papers on Question 84.	Table des Matières des Rapports sur la Question 84.
Papers on Question 84.	Rapports sur la Question 84.
General Report Question 84.	Rapport Général Question 84.

VOLUME II

Wording of Question 85.	Libellé de la Question 85.
Table of Contents of Papers on Question 85.	Table des Matières des Rapports sur la Question 85.
Papers on Question 85.	Rapports sur la Question 85.
General Report Question 85.	Rapport Général Question 85.
Table of Contents of Communications.	Table des Matières des Communications.
Communications.	Communications.

VOLUME III

Wording of Question 86.	Libellé de la Question 86.
Table of Contents of Papers on Question 86.	Table des Matières des Rapports sur la Question 86.
Papers on Question 86.	Rapports sur la Question 86.
General Report Question 86.	Rapport Général Question 86.

VOLUME IV

Wording of Question 87.	Libellé de la Question 87.
Table of Contents of Papers on Question 87.	Table des Matières des Rapports sur la Question 87.
Papers on Question 87.	Rapports sur la Question 87.
General Report Question 87.	Rapport Général Question 87.

VOLUME IV

(Published after the Congress.)	(Publié après le Congrès.)
Additional Papers and Communications (if any).	Rapports et Communications supplémentaires (s'il y a lieu).
Discussions during the Congress.	Discussions pendant le Congrès.

REPORT ON THE PROGRESS OF THE WORK DURING THE YEAR 1912

Submitted to the Board of Directors of the American Museum of Natural History

Prepared by the Secretary

January 1, 1913

The following is a summary of the work done during the year 1912:

1. The collection of mammals, birds, reptiles, and fishes during the year was as follows:

Mammals	1,234
Birds	567
Reptiles	123
Fishes	456
Amphibians	78

2. The collection of insects, shells, and plants during the year was as follows:

Insects	2,345
Shells	678
Plants	901
Fossils	234
Minerals	567

3. The collection of minerals, fossils, and shells during the year was as follows:

Minerals	567
Fossils	234
Shells	678
Plants	901
Fishes	456

4. The collection of plants, fossils, and shells during the year was as follows:

Plants	901
Fossils	234
Shells	678
Fishes	456
Amphibians	78

5. The collection of fishes, amphibians, reptiles, and birds during the year was as follows:

Fishes	456
Amphibians	78
Reptiles	123
Birds	567
Mammals	1,234

6. The collection of mammals, birds, reptiles, and fishes during the year was as follows:

Mammals	1,234
Birds	567
Reptiles	123
Fishes	456
Amphibians	78

7. The collection of insects, shells, and plants during the year was as follows:

Insects	2,345
Shells	678
Plants	901
Fossils	234
Minerals	567

8. The collection of minerals, fossils, and shells during the year was as follows:

Minerals	567
Fossils	234
Shells	678
Plants	901
Fishes	456

9. The collection of plants, fossils, and shells during the year was as follows:

Plants	901
Fossils	234
Shells	678
Fishes	456
Amphibians	78

10. The collection of fishes, amphibians, reptiles, and birds during the year was as follows:

Fishes	456
Amphibians	78
Reptiles	123
Birds	567
Mammals	1,234

11. The collection of mammals, birds, reptiles, and fishes during the year was as follows:

Mammals	1,234
Birds	567
Reptiles	123
Fishes	456
Amphibians	78

12. The collection of insects, shells, and plants during the year was as follows:

Insects	2,345
Shells	678
Plants	901
Fossils	234
Minerals	567

VOLUME I**TABLE OF CONTENTS**

	PAGE
Questions discussed at preceding Congresses	IX
Questions for the 22nd Congress	XVI
Recap table of numbers of Papers and Communications per countries	XVIII
Recap table of Papers and Communications per Congresses	XIX
Numbers of Papers and Communications per countries	XX
Wording of Question 84	XXII
Table of Contents of Papers on Question 84	XXIII
Papers on Question 84	1

TABLE DES MATIÈRES

	PAGE
Questions discutées aux précédents Congrès	IX
Questions pour le 22 ^e Congrès	XVI
Tableau récapitulatif du nombre de Rapports et Communications par pays	XVIII
Tableau récapitulatif des Rapports et Communications par Congrès	XIX
Numéros des Rapports et Communications par pays	XX
Libellé de la Question 84	XXII
Table des Matières des Rapports sur la Question 84	XXIII
Rapports sur la Question 84	1

[Faint, illegible text, likely bleed-through from the reverse side of the page.]

STANDARDIZATION

[Faint, illegible text, likely bleed-through from the reverse side of the page.]

**QUESTIONS DISCUSSED
AT PRECEDING CONGRESSES**

First Congress. Stockholm (Sweden), 1933 :

QUESTION 1 a - *Deterioration by ageing of the concrete of weight dams.*

QUESTION 1 b - *Influence of internal temperature and distorsion of weight dams.*

QUESTION 2 a - *Research methods so as to ascertain whether a given materials issuitable for being used in the construction of an earth dam.*

QUESTION 2 b - *Study of physical laws governing infiltration of water through the dam and the subjaent soil.*

Second Congress. Washington (USA), 1936 :

QUESTION 3 - *Special cements.*

QUESTION 4 - *Design and waterproofing of shrinkage, contraction and expansion joints.*

QUESTION 5 - *Study of facing of masonry and concrete dams.*

QUESTION 6 - *Geotechnical studies of foundations materials.*

QUESTION 7 - *Calculation of the stability of earth dams.*

Third Congress. Stockholm (Sweden), 1948 :

QUESTION 8 - *Uplift and resulting stresses in dams.*

QUESTION 9 - *Methods and instruments for measuring sresses and strains in earth and concrete dams.*

QUESTION 10 - *Most recent dispositions to avoid piping.*

QUESTION 11 - *Information obtained from the use of testing methods and of special cements in large dams.*

**QUESTIONS DISCUTÉES
AUX PRÉCÉDENTS CONGRÈS**

Premier Congrès. Stockholm (Suède), 1933 :

QUESTION 1 a - *Détérioration par vieillissement du béton des barrages-poids.*

QUESTION 1 b - *Questions relatives aux influences de la température interne et à la déformation des barrages-poids.*

QUESTION 2 a - *Méthodes de recherches permettant de reconnaître si un matériau donné est apte à être employé pour la construction d'un barrage en terre.*

QUESTION 2 b - *Étude des lois physiques commandant l'infiltration à travers un barrage en terre et le sous-sol sous-jacent.*

Deuxième Congrès. Washington (États-Unis), 1936 :

QUESTION 3 - *Ciment spécial pour grands barrages.*

QUESTION 4 - *Constitution et étanchement des joints de retrait, de contraction et dilatation.*

QUESTION 5 - *Étude des revêtements des parements des barrages en maçonnerie ou en béton.*

QUESTION 6 - *Études géotechniques des sols de fondation.*

QUESTION 7 - *Calculs de stabilité des barrages en terre.*

Troisième Congrès. Stockholm (Suède), 1948 :

QUESTION 8 - *Exposé critique des mesures des sous-pressions et des contraintes en résultant dans un barrage.*

QUESTION 9 - *Méthodes de recherches et instruments pour mesurer les efforts et les déformations dans les barrages en terre et en béton.*

QUESTION 10 - *Les dispositions les plus récentes pour éviter la formation de renards.*

QUESTION 11 - *Enseignements résultant de l'utilisation des méthodes d'essai et de l'emploi des ciments spéciaux pour les grands barrages.*

Fourth Congress. New Delhi (India), 1951 :

QUESTION 12 - *Methods for determining the maximum flood discharge that may be expected at a dam and for which it should be designed. Selection of type, capacity and general arrangements of temporary or permanent outlets and spillways.*

QUESTION 13 - *Design and construction of earth and rockfill dams with their core walls and diaphragms.*

QUESTION 14 - *Sedimentation in reservoirs and related problems.*

QUESTION 15 - *Concrete for large dams.*

Fifth Congress. Paris (France), 1955 :

QUESTION 16 - *Design and construction of dams on permeable soils and methods of foundation treatment.*

QUESTION 17 - *Economics and safety of different types of concrete dams.*

QUESTION 18 - *Settlement of dams due to compressibility of the dams materials or of the foundations soil, including earthquake problems.*

QUESTION 19 - *The relation of the cements content of the concrete to performance in practice of :*

a) *gravity dams (interior and exterior) ;*
b) *arch dams ;*
c) *buttress dams*
and its influence on permeability and frost resistance.

Sixth Congress. New York (USA), 1958 :

QUESTION 20 - *Heightening of existing dams including methods of constructing new dams in successive stages.*

QUESTION 21 - *Observation of stresses and deformations in dams and in their foundations and abutments ; and a compa-*

Quatrième Congrès. New Delhi (Inde), 1951 :

QUESTION 12 - *Méthodes pour déterminer le débit de crue maximum qu'il est possible de prévoir pour un barrage et pour lequel le projet de barrage doit être établi. Choix du type et de la disposition générale des évacuateurs temporaires ou permanents, et détermination de leur capacité d'évacuation.*

QUESTION 13 - *Projets de construction de barrages en terre et en enrochement avec leurs écrans et diaphragmes.*

QUESTION 14 - *Sédimentation dans les réservoirs et problèmes connexes.*

QUESTION 15 - *Béton pour grands barrages.*

Cinquième Congrès. Paris (France), 1955 :

QUESTION 16 - *Projets et construction de barrages sur sols perméables et méthodes de traitement de la fondation.*

QUESTION 17 - *Bilan économique et sécurité des différents types de barrages en béton.*

QUESTION 18 - *Tassement des barrages dû à la compressibilité des matériaux constitutifs du barrage ou de la fondation, y compris les questions liées aux tremblements de terre.*

QUESTION 19 - *Effets du dosage en ciment sur le comportement observé :*

a) *des barrages-poids (intérieur et extérieur) ;*
b) *des barrages-voûtes ;*
c) *des barrages à contreforts*
et influence de ce dosage sur la perméabilité et la résistance au gel.

Sixième Congrès. New York (USA), 1958 :

QUESTION 20 - *Surélévation de barrages existants et méthodes pour la construction de nouveaux barrages par étapes successives.*

QUESTION 21 - *Observations des contraintes et des déformations dans les barrages, dans leurs fondations et dans*

ri-son of these observations with computations and tests on small scale models.

QUESTION 22 - Compaction methods and moisture content for materials used in the construction of earth core and supporting fill for earth and rockfill dams.

QUESTION 23 - Use of admixtures and pozzolanic materials in concrete for dams and the influence of the finer sand particles.

Seventh Congress. Rome (Italy), 1961 :

QUESTION 24 - The selection, processing and specification of aggregates for concrete for large dams.

QUESTION 25 - Underground work in connection with large dams.

QUESTION 26 - Modern techniques of concrete dams for wide valleys and ancillary works.

QUESTION 27 - Sealing of earth and rockfill dams with bitumen and other materials.

Eighth Congress. Edinburgh (Great Britain), 1964 :

QUESTION 28 - Physical and mechanical properties of rock in situ, means of determining these properties and improving them, with special reference to the design and construction of large dams.

QUESTION 29 - Results and interpretation of measurements made on large dams of all types, including earthquake observations.

QUESTION 30 - Design of concrete for large dams of all types and influence of age on concrete properties.

QUESTION 31 - Design, methods of construction and performance of high rockfill dams (above or about 80 m).

leurs appuis latéraux. Comparaison de ces observations avec les calculs et les essais sur modèles réduits.

QUESTION 22 - Méthode de compactage et teneur en eau des matériaux employés dans la construction du noyau en terre et du massif résistant des barrages en terre et en enrochement.

QUESTION 23 - Emploi des agents d'aé-ration et des matériaux pouzzolaniques dans le béton destiné aux barrages et in-fluence des fines particules de sable.

Septième Congrès. Rome (Italie), 1961 :

QUESTION 24 - Le choix, la préparation et la spécification des agrégats dans le béton pour grands barrages.

QUESTION 25 - Travaux souterrains se rapportant aux grands barrages.

QUESTION 26 - Techniques modernes relatives aux barrages en béton pour larges vallées et à leurs ouvrages accessoires.

QUESTION 27 - Étanchement des barrages en terre et enrochement par des produits bitumineux et autres matières.

Huitième Congrès. Edimbourg (Grande-Bretagne), 1964 :

QUESTION 28 - Propriétés physiques et mécaniques du rocher in situ : procédés permettant de déterminer ces propriétés et les améliorer, sous l'angle particulier de l'établissement du projet et de la construction des grands barrages.

QUESTION 29 - Résultats et interprétations des mesures faites sur des barrages de toute nature, y compris les observations sur les tremblements de terre.

QUESTION 30 - Études du béton des grands barrages de divers types et influence de l'âge sur les propriétés du béton.

QUESTION 31 - Étude, méthodes d'exécution et comportement des grands barrages en enrochement (de plus de 80 m ou d'environ 80 m).

Ninth Congress. Istanbul (Turkey), 1967 :

QUESTION 32 - *The safety of dams from the point of view of the foundations and the safety of reservoir banks.*

QUESTION 33 - *Temporary and permanent provisions for the control of flows.*

QUESTION 34 - *The behaviour and deterioration of dams.*

QUESTION 35 - *Dams in earthquake zones or other unfavourable situations.*

Tenth Congress. Montreal (Canada), 1970 :

QUESTION 36 - *Recent developments in the design and construction of earth and rockfill dams.*

QUESTION 37 - *Recent developments in the design and construction of dams and reservoirs on deep alluvial, karstic, or other unfavourable formations.*

QUESTION 38 - *Supervision of dams and reservoirs in operation.*

QUESTION 39 - *Recent developments in the design and construction of concrete dams.*

Eleventh Congress. Madrid (Spain), 1973 :

QUESTION 40 - *The consequences on the environment of building dams.*

QUESTION 41 - *Flow control and energy control during construction and after completion.*

QUESTION 42 - *Impervious elements and slope protection on earth and rockfill dams.*

QUESTION 43 - *New ideas for more rapid and economic construction of concrete dams.*

Twelfth Congress. Mexico City (Mexico), 1976 :

QUESTION 44 - *Problems associated with special types of fill dams.*

Neuvième Congrès. Istamboul (Turquie), 1967 :

QUESTION 32 - *Sécurité des barrages du point de vue de la fondation et stabilité des versants de la retenue.*

QUESTION 33 - *Dispositions temporaires et permanentes pour contrôler les apports et le niveau de la retenue des barrages.*

QUESTION 34 - *Comportement et détérioration des barrages.*

QUESTION 35 - *Barrages dans des zones soumises aux tremblements de terre, ou dans des situations exceptionnelles.*

Dixième Congrès. Montréal (Canada), 1970 :

QUESTION 36 - *Progrès récents dans l'étude et la construction des barrages en terre et en enrochement.*

QUESTION 37 - *Progrès récents dans l'étude et la construction des barrages et des réservoirs situés sur des alluvions profondes, sur des terrains karstiques ou des terrains difficiles.*

QUESTION 38 - *Contrôle des barrages et des réservoirs en exploitation.*

QUESTION 39 - *Progrès récents dans l'étude et la construction des barrages en béton.*

Onzième Congrès. Madrid (Espagne), 1973 :

QUESTION 40 - *Conséquences de la construction des barrages sur l'environnement.*

QUESTION 41 - *Contrôle des débits et de la dissipation de l'énergie pendant la construction et après la mise en service.*

QUESTION 42 - *Dispositif d'étanchéité et protection des talus des barrages en terre et des barrages en enrochement.*

QUESTION 43 - *Idées nouvelles pour la construction plus rapide et plus économique des barrages en béton.*

Douzième Congrès. Mexico (Mexique), 1976 :

QUESTION 44 - *Problèmes posés par les barrages en remblai de type spécial.*

QUESTION 45 - *Leakage investigations and drainage of dams and their foundations.*

QUESTION 46 - *Preliminary planning of dam developments.*

QUESTION 47 - *The effects on dams and reservoirs of some environmental factors.*

Thirteenth Congress. New Delhi (India), 1979 :

QUESTION 48 - *Interface problems of dams.*

QUESTION 49 - *Deterioration or failures of dams.*

QUESTION 50 - *Large capacity outlets and spillways.*

QUESTION 51 - *Seismicity and aseismic design of dams.*

Fourteenth Congress. Rio de Janeiro (Brazil), 1982 :

QUESTION 52 - *Safety of dams in operation.*

QUESTION 53 - *Influence of geology and geotechnics on the design of dams.*

QUESTION 54 - *Reservoir sedimentation and slope stability. Technical and environmental effects.*

QUESTION 55 - *Materials and construction methods for embankment dams and cofferdams.*

Fifteenth Congress. Lausanne (Switzerland), 1985 :

QUESTION 56 - *Dam and foundation monitoring.*

QUESTION 57 - *Concrete dams - an old problem always present : cracking ; a new technology : rolled concrete (rollcrete).*

QUESTION 58 - *Foundation treatment of seepage.*

QUESTION 59 - *Rehabilitation of dam to ensure safety.*

QUESTION 45 - *La recherche des fuites et le drainage des barrages et de leur fondation.*

QUESTION 46 - *Études préliminaires d'aménagements de barrages.*

QUESTION 47 - *Les effets de quelques facteurs d'environnement sur les barrages et les retenues.*

Treizième Congrès. New Delhi (Inde), 1979 :

QUESTION 48 - *Problèmes de raccordement dans les barrages.*

QUESTION 49 - *Détérioration ou ruptures de barrages.*

QUESTION 50 - *Vidanges et évacuateurs de crue de grande capacité.*

QUESTION 51 - *Résistance des barrages aux tremblements de terre.*

Quatorzième Congrès. Rio de Janeiro (Brésil), 1982 :

QUESTION 52 - *Sécurité des barrages en service.*

QUESTION 53 - *Influence de la géologie et de la géotechnique sur la conception des barrages.*

QUESTION 54 - *Alluvionnement des retenues et stabilité de leurs versants. Conséquences techniques et effets sur l'environnement.*

QUESTION 55 - *Matériaux et méthodes de construction des barrages et batardeaux en remblai.*

Quinzième Congrès. Lausanne (Suisse), 1985 :

QUESTION 56 - *Auscultation des barrages et de leurs fondations.*

QUESTION 57 : *Barrages en béton - un problème ancien et toujours actuel : la fissuration ; une technique nouvelle : le béton compacté au rouleau.*

QUESTION 58 - *Traitement des fondations en relation avec les infiltrations.*

QUESTION 59 - *Mesures pour renforcer la sécurité des barrages en service.*

Sixteenth Congress. San Francisco (USA), 1988 :

QUESTION 60 - *Reservoirs and the environment - Experience in management and monitoring.*

QUESTION 61 - *Embankment dams : impervious elements other than clay cores.*

QUESTION 62 - *New developments in the construction of concrete dams.*

QUESTION 63 - *Design flood and operational flood control.*

Seventeenth Congress. Vienna (Austria), 1991 :

QUESTION 64 - *Environmental issues in dam projects.*

QUESTION 65 - *Ageing of dams and remedial measures.*

QUESTION 66 - *Dams on difficult foundations.*

QUESTION 67 - *New developments for fill dams and fill cofferdams.*

Eighteenth Congress. Durban (South Africa), 1994 :

QUESTION 68 - *Safety assessment and improvement of existing dams.*

QUESTION 69 - *Environmental experience gained from reservoirs in operation.*

QUESTION 70 - *Staged construction, raising or modification of dams.*

QUESTION 71 - *Deterioration of spillways and outlet works.*

Nineteenth Congress. Florence (Italy), 1997 :

QUESTION 72 - *Innovative financing of projects involving dams.*

QUESTION 73 - *Special problems associated with earthfill dams.*

QUESTION 74 - *Performance of reservoirs.*

QUESTION 75 - *Incidents and failures of dams.*

Seizième Congrès. San Francisco (États-Unis), 1988 :

QUESTION 60 - *Retenues et environnement - Expériences de gestion et de mesure d'impact.*

QUESTION 61 - *Barrages en remblai : organes d'étanchéité autres que les noyaux en terre.*

QUESTION 62 - *Progrès récents dans la construction des barrages en béton.*

QUESTION 63 - *Crue de projet et maîtrise des crues après mise en service du barrage.*

Dix-septième Congrès. Vienne (Autriche), 1991 :

QUESTION 64 - *Les barrages et l'environnement.*

QUESTION 65 - *Vieillesse des barrages et méthodes de réparation.*

QUESTION 66 - *Barrages sur fondations difficiles.*

QUESTION 67 - *Progrès récents concernant les barrages et batardeaux en remblai.*

Dix-huitième Congrès. Durban (Afrique du Sud), 1994 :

QUESTION 68 - *Évaluation et renforcement de la sécurité des barrages en service.*

QUESTION 69 - *Retenues en exploitation : expérience dans le domaine de l'environnement.*

QUESTION 70 - *Construction par étapes, surélévation ou modification de barrages.*

QUESTION 71 - *Détérioration des ouvrages d'évacuation des barrages.*

Dix-neuvième Congrès. Florence (Italie), 1997 :

QUESTION 72 - *Méthodes nouvelles de financement des projets de barrages.*

QUESTION 73 - *Problèmes particuliers relatifs aux barrages en terre.*

QUESTION 74 - *Comportement des retenues.*

QUESTION 75 - *Accidents et ruptures de barrages.*

Twentieth Congress. Beijing (China).
2000 :

QUESTION 76 - *The use of risk analysis to support dam safety decisions and management.*

QUESTION 77 - *Benefits of and concerns about dams.*

QUESTION 78 - *Monitoring of dams and their foundations.*

QUESTION 79 - *Gated spillways and other controlled release facilities and dam safety.*

Twenty-first Congress. Montreal (Canada), 2003 :

QUESTION 80 - *Financing hydraulic projects including dams.*

QUESTION 81 - *Economic evaluation of hydraulic projects including dams.*

QUESTION 82 - *Ageing and rehabilitation of concrete and masonry dams and appurtenant works.*

QUESTION 83 - *Seismic aspects of dams.*

Vingtième Congrès. Beijing (Chine).
2000 :

QUESTION 76 - *L'utilisation de l'analyse des risques dans le processus de décision relatif à la sûreté des barrages et à leur gestion.*

QUESTION 77 - *Bienfaits et préoccupations associés aux barrages.*

QUESTION 78 - *Auscultation des barrages et de leurs fondations.*

QUESTION 79 - *Évacuateurs de crue vannés, autres organes d'évacuation contrôlés, et sûreté des barrages.*

Vingt et Unième Congrès. Montreal (Canada), 2003 :

QUESTION 80 - *Financement des projets hydrauliques comprenant des barrages.*

QUESTION 81 - *Évaluation économique des aménagements hydrauliques comprenant des barrages.*

QUESTION 82 - *Vieillesse et réhabilitation des ouvrages en béton et en maçonnerie : barrages et ouvrages associés.*

QUESTION 83 - *Aspects sismiques relatifs aux barrages.*

**QUESTIONS
FOR THE 22nd CONGRESS**

The 72nd Executive Meeting of the International Commission on Large Dams, held in Seoul (Korea) in May 2004 selected the following four questions and question contents for the 22nd International Congress on Large Dams.

**QUESTIONS
POUR LE 22^e CONGRÈS**

La 72^e Réunion Exécutive de la Commission Internationale des Grands Barrages, qui s'est tenue à Séoul (Corée) en mai 2004, a décidé de choisir pour le 22^e Congrès International des Grands Barrages les quatre questions suivantes, accompagnées de commentaires explicatifs.

QUESTION 84

Technical solutions to reduce time and costs in dam design and construction

- 1) Time and cost reduction by innovative solutions and design criteria for river diversion.
- 2) Innovative foundation design and treatment thus reducing uncertainty and contingencies.
- 3) Unconventional cross sections and use of materials in dams.
- 4) Savings in designing new spillways or upgrading existing ones.
- 5) Innovative approaches towards dam layout, implementation program and other provisions.

Solutions techniques favorisant la réduction des délais et des coûts de conception et de réalisation des barrages

- 1) Réduction des délais et des coûts de réalisation par des solutions et des critères de projet innovants de dérivation provisoire.
- 2) Innovations dans le domaine de l'étude et du traitement des fondations réduisant les incertitudes et les imprévus.
- 3) Nouvelles coupes-types et utilisations originales de matériaux pour barrages.
- 4) Gains dans la conception de nouveaux évacuateurs et la mise au normes des évacuateurs existants.
- 5) Approches innovantes pour l'aménagement et la réalisation des ouvrages et autres aspects.

QUESTION 85

Management of the downstream impacts of dam operation

- 1) Water releases and safety procedures for downstream areas.
- 2) Warning systems.
- 3) Releases and environmental impacts downstream of dams.
- 4) Observed impacts on the environment and ecological systems.

Gestion des impacts en aval des barrages en service

- 1) Lâchers d'eau et procédures de sécurité en aval des barrages.
- 2) Dispositifs d'alerte.
- 3) Lâchers et impacts environnementaux à l'aval des barrages.
- 4) Impacts observés sur l'environnement et les systèmes écologiques.

NOTE :

The Question is exclusively related to impacts and risks during normal operation of dams which could include large flooding releases for the maintenance of downstream ecological systems.

Consequences of dam failures and of operation during extreme floods are not included in the Question.

Some aspects related to water quality such as problems of fish may be included.

COMMENTAIRES :

Cette Question concerne exclusivement les impacts et les risques en exploitation normale, dont les importants lâchers en crue pour le maintien des systèmes écologiques aval.

Les conséquences de la rupture et de l'exploitation en période de crue extrême sont exclues de la Question.

Les aspects liés à la qualité de l'eau (poissons, ...) peuvent être inclus.

QUESTION 86

Safety of earth and rockfill dams

- 1) Dam safety classifications for levels of safety and regulations.
- 2) Risk assessment and criteria for acceptance.
- 3) Prevention, remedies, safety measures against overtopping by extreme floods, jammed gates, landslides, etc.
- 4) Breach formation, initiation and progression.
- 5) Prevention, detection, corrective measures related to seepage.

Sécurité des barrages en terre et enrochement

- 1) Classification des niveaux de sécurité et réglementations.
- 2) Maîtrise et gestion des risques et critères d'acceptabilité.
- 3) Prévention, solutions, mesures de sécurité lors des surverses dues aux crues extrêmes, à la défaillance des vannes, aux glissements de terrain, ...
- 4) Processus de formation d'une brèche : initiation et développement.
- 5) Prévention, détection des infiltrations et mesures correctives.

QUESTION 87

Flood and drought evaluation and management

- 1) Evaluation and re-evaluation of floods and droughts for large or small catchment areas. Influence of climatic changes. Review of criteria for design or upgrading of dams and spillways.
- 2) Flood and drought forecasting and contingency plans.
- 3) Flood and drought management by existing or new dams.
- 4) Various solutions for improving the hydrological and hydraulic safety of dams.

Évaluation et gestion des situations de crues ou des étiages dus aux sécheresses

- 1) Évaluation et réévaluation des crues ou des étiages dus aux sécheresses des grands et petits bassins versants. Influence des changements climatiques. Réévaluation des critères de conception ou de réhabilitation des barrages et des évacuateurs.
- 2) Prévision des crues et des étiages dus aux sécheresses et consignes associées.
- 3) Utilisation des barrages pour la gestion des situations de crues ou de sécheresses.
- 4) Solutions pour l'amélioration de la sécurité hydrologique et hydraulique des barrages.

1) Recap table of numbers of Papers and Communications by alphabetical order of countries/
Tableau récapitulatif du nombre de Rapports et Communications par ordre alphabétique des pays

Countries	Nbr of Papers	Nbr of Communications	Total nbr of countries	Total of Papers & Communicat.
Australia	3		1	3
Belgium		1	1	1
Brazil	11	1	1	12
Bulgaria	2		1	2
Canada	9		1	9
Chile	3		1	3
China	12		1	12
Colombia	3		1	3
Cyprus	3		1	3
Czech Rep	4		1	4
Egypt	3		1	3
Finland	1		1	1
France	20		1	20
Germany	6		1	6
Iceland	1		1	1
India	9		1	9
Iran	19	4	1	23
Italy	5	1	1	6
Japan	18	5	1	23
Mexico	1		1	1
Morocco	8		1	8
New Zealand	2		1	2
Nigeria	1		1	1
Norway	2		1	2
Pakistan	2		1	2
Poland	4		1	4
Portugal	6		1	6
Romania	4		1	4
Russia	5		1	5
Serbia & Montenegro	2		1	2
Slovenia	2		1	2
South Africa	4		1	4
Spain	25		1	25
Sri Lanka	3		1	3
Sweden	9		1	9
Switzerland	11		1	11
Turkey		1	1	1
United Kingdom	4		1	4
United States	11		1	11
Venezuela	5		1	5
Vietnam	1		1	1
Zimbabwe	1		1	1
42 countries - Total	245	13	42	258

(*) Without documents out of deadline / Documents remis postérieurement à la date limite non compris.

2) Recap table per Congresses/Tableau récapitulatif par Congrès

Congress Congrès	Individual Papers Rapports particuliers	Communi- cations	General Papers Rapports de synthèse	Total	Number of countries (*) Nombre de pays (*)
9th - Istanbul (1967)	203	25	14	242	29
10th - Montreal (1970)	204	14	13	231	34
11th - Madrid (1973)	217	19	13	249	39
12th - Mexico (1976)	190	21	12	223	38
13th - Delhi (1979)	214	15	10	239	38
14th - Rio (1982)	244	18	12	274	42
15th - Lausanne (1985)	268	17	10	295	46
16th - San Francisco (1988)	254	33	-	287	38
17th - Vienna (1991)	275	19	-	294	39
18th - Durban (1994)	233	28	-	261	41
19th - Florence (1997)	212	32	-	244	44
20th - Beijing (2000)	247	15	-	262	40
21st - Montreal (2003)	203	8	-	211	32
22nd - Barcelona (2006)	245	13	-	258	42

(*) Number of countries which have submitted papers.

(*) Nombre de pays ayant présenté des rapports.

3) Numbers of Papers and Communications per countries/Numéros des Rapports et Communications par pays

	Q. 84	Q. 85	Q. 86	Q. 87	Communications	Total
	Paper Number - Numéro du rapport				Communication Number Numéro de la Communication	
Australia	18, 51		17			3
Belgium	44, 45, 46, 47, 48, 59,				1	1
Brazil	83, 84, 89 87	21	49 79		2	12
Bulgaria	24, 25, 26		22, 23, 24, 25, 26	13		2
Canada	3, 4	2				9
Chile	55, 56, 57, 88	23	55, 56, 57, 58, 59, 60	23		3
China	49, 50			22		12
Colombia	81, 82		77			3
Cyprus	15, 86	5	10, 11	8, 9		3
Czech Rep						4
Egypt						3
Finland	70, 71, 72, 78	26, 27	63, 64, 65, 66, 67, 68, 69, 70 6, 12, 41	11 29, 30, 31, 32, 36, 37 40, 41		1
France	27					20
Germany	90	29, 30	71, 80, 81	38		6
Iceland	76, 80, 91					1
India	14, 58, 60, 61, 62, 63	24, 25	61 9, 51			9
Iran	64, 65, 66, 67, 68, 85 7, 8					23
Italy	37, 38, 39, 40, 41	14, 15, 16, 17, 18, 19	43, 44, 45, 46, 47	24, 25, 26, 27 2	3, 4, 5, 12 13	6
Japan	42			19, 20	6, 7, 8, 9, 10	23
Mexico	2, 5, 10	1, 3		1, 5, 10		1
Morocco	52	32	50			8
New Zealand						2
Nigeria			4, 5			1
Norway			78			2
Pakistan			2-3			2
Poland	53	4		3		4

3) Numbers of Papers and Communications per countries/Numéros des Rapports et Communications par pays

	Q. 84	Q. 85	Q. 86	Q. 87	Communications	Total
	Paper Number - Numéro du rapport				Communication Number Numéro de la communication	
Portugal	21, 22, 23	31	19, 20	21		6
Romania	43	20	48	7		4
Russia	9, 77		54, 76			5
Serbia & Montenegro		13	42			2
Slovenia	79	6	52, 53			2
South Africa	54	22	27, 28, 29, 30, 31, 32, 33, 34	14, 15, 16, 17		4
Spain	28, 29, 30, 31, 32, 33	9, 10, 11, 12	35, 36, 37	18, 28		2
Sri Lanka			38	4, 6		4
Sweden	6, 69		1, 7, 8, 16, 62	33, 34, 35	11	25
Switzerland	73, 74, 75	28	72, 73, 74, 75			3
Turkey						9
United Kingdom	16, 17					1
United States	19, 20, 34, 35, 36	8	14, 15	12		4
Venezuela	11, 12, 13	7	18, 21, 39, 40	39		11
Vietnam			13			5
Zimbabwe	1					1
42 countries - Total	91	32	81	41	13	258

PAPERS ON Q 84

RAPPORTS SUR LA Q 84

Technical solutions to reduce time and costs in dam design and construction

- 1) Time and cost reduction by innovative solutions and design criteria for river diversion.
- 2) Innovative foundation design and treatment thus reducing uncertainty and contingencies.
- 3) Unconventional cross sections and use of materials in dams.
- 4) Savings in designing new spillways or upgrading existing ones.
- 5) Innovative approaches towards dam layout, implementation program and other provisions.

Solutions techniques favorisant la réduction des délais et des coûts de conception et de réalisation des barrages

- 1) Réduction des délais et des coûts de réalisation par des solutions et des critères de projet innovants de dérivation provisoire.
- 2) Innovations dans le domaine de l'étude et du traitement des fondations réduisant les incertitudes et les imprévus.
- 3) Nouvelles coupes-types et utilisations originales de matériaux pour barrages.
- 4) Gains dans la conception de nouveaux évacuateurs et la mise aux normes des évacuateurs existants.
- 5) Approches innovantes pour l'aménagement et la réalisation des ouvrages, et autres aspects.

TABLE OF CONTENTS
OF PAPERSTABLE DES MATIÈRES
DES RAPPORTS

R. 1.	KABELL, T. C. (<i>Zimbabwe</i>) Passing diversion flow over partially completed embankment dams	1
R. 2.	EL GHOMARI, K., BENDRISS, A., CHRAIBI, A. F. (<i>Maroc</i>) Barrage Sidi Mohamed Ben Abdellah (Maroc) - Un dispositif de batardage inédit en géotubes	15
R. 3.	BUSTAMENTE, V. L., RADISIC P. A. (<i>Chile</i>) Structural design and RCC zoning in Ralco dam	33
R. 4.	URIBE, C. L.A., HOFER, P. O.A. (<i>Chile</i>) Ralco : a dam constructed under difficult conditions	47
R. 5.	CHRAIBI, A. F. (<i>Maroc</i>) Dispositions particulières appliquées à la conception et la réalisation de certains grands barrages	59
R. 6.	BILLSTEIN, M., HELLSTADIUS, K., JOHANSSON, N., SÖDER, P. E. (<i>Sweden</i>) Midskog dam in Sweden - Spillway erosion in rock. basis for remedial works	69
R. 7.	SCUERO, A. M., VASCHETTI, G. L. (<i>Italy</i>) Unconventional cross sections and materials in embankment dams	87
R. 8.	CAVARRETTA, I., GANGITANO, L. (<i>Italy</i>) A low gravity dam in difficult subsoil conditions	107
R. 9.	BRONSHTEIN, V., GROSHEV, M., RECHITSKY, V., LIAPICHEV, Y., ZATVORNITSKAYA, T., YAZEV, R., TALDENKOVA, E., FINK, A., TSOY, M., RASSKAZOV, L. SAINOV, M. TKHAN DUT, N. (<i>Russia</i>) Structural and technological solutions to accelerate construction of dams and reduce their cost under different natural and climatic conditions	129
R. 10.	KAISSOUN, M., LAHJOMRI, A. C., EL MOHAMMADI, N. (<i>Maroc</i>) Solutions techniques apportées au cours de la construction du barrage Raouz	147
R. 11.	CASTRO GOMEZ, C., MONTILLA CASTRO, G., PATIÑO SABIO, A. (<i>Venezuela</i>) Low risk and cost solution for Caruachi spillway	171
R. 12.	MARTINEZ, P. G. G. (<i>Venezuela</i>) Analysis of alternatives for Tocoma right dam construction	183
R. 13.	PRUSZA, V. Z., PRUSZA S. Z. (<i>Venezuela</i>) Savings in the reconstruction of a spillway	199
R. 14.	NOORZAD, A., GHAEMIAN, M., MIRZABOZORG, H. (<i>Iran</i>) Reducing foundation uncertainty for the nonlinear seismic analysis of concrete arch dams	213
R. 15.	SHENOUDA, W. K. (<i>Egypt</i>) Technical solutions adopted in construction of Aswan High Dam.	231
R. 16.	WAGNER, C. M., AIREY, M., BEVERIDGE, J. (<i>United Kingdom</i>) Tannur dam - Concrete gravity dam on difficult foundations	245

R. 17.	DUNSTAN, M. R. H., STEELE, K. A., TARBOX, G. S., EHASZ, J. L., NYLUD, C. D. (<i>United Kingdom</i>) Value engineering at Olivenhain RCC dam. USA	259
R. 18.	HERWEYNEN, R., GRIGGS, T. (<i>Australia</i>) Burnett RCC dam - An innovative approach to floods.....	279
R. 19.	FRANCE, J. W., JAMIESON, S. L., PERRI, P. P. (<i>United States</i>) Expedited design and construction of Guanella dam, near Empire, Colorado, USA	299
R. 20.	CHUGH, A. K. (<i>United States</i>) Seismic response of a counterfort and its equivalent model cantilever spillway wall - A comparison of results.....	313
R. 21.	PINHEIRO, A. N., COSTA, S. R., ANDRÉ, J. N., MARQUES, P. R., MAGNO, R. J. (<i>Portugal</i>) Upgrading spillways of small and medium size dams. Underlying concepts and case studies.....	327
R. 22.	PINA, C. A. B., LEMOS, J. V., SCHCLAR LEITÃO, N., CÂMARA, R., VARGAS CENTENO, F., GAYOSO CEVALLOS, F., CALLES RODRIGUEZ, L., OVIEDO TEJADA, J. (<i>Portugal</i>) Seismic analysis of El Frayle arch dam considering the non-linear behaviour of the rock mass joints.....	345
R. 23.	OLIVEIRA, R., MORGADO, A., PORTUGAL FERREIRA, M. (<i>Portugal</i>) Geological and geotechnical characterization and design of the Ribeiradio dam rock mass foundation - Roller compacted concrete (RCC) solution.....	357
R. 24.	GARAND, P., BIGRAS, A., RATTUE, D. A., HAMMAMJI, Y. (<i>Canada</i>) Geo-mechanical behaviour of plastic concrete.....	373
R. 25.	GARAND, P., BIGRAS, A., RATTUE, D. A., HAMMAMJI, Y., SAUCET, J. P. (<i>Canada</i>) Erosion resistance of plastic concrete.....	391
R. 26.	RATTUE, D. A., BLANCHETTE, G., RICCI, V., REINSON, J. (<i>Canada</i>) Design, construction and operation of the A154 dike at Diavik.....	411
R. 27.	EWERT, F. K. (<i>Germany</i>) Geological factors allowing reduction of time and costs required for curtain grouting	443
R. 28.	SANCHEZ, M. A., FOYO, A., TOMILLO, C. (<i>Spain</i>) Permeability-groutability ratio in fractured rock masses obtained from the secondary permeability index, SPI	475
R. 29.	BERKANI, A., LÓPEZ ZAFRA, F., ROMERO ALCÓN, F., IBÁÑEZ DE ALDECOA, R., SANZ SANTACRUZ, M. (<i>Spain</i>) Main features of three unusual solutions for river diversion in large dams.....	485
R. 30.	ROJAS FERNÁNDEZ-FÍGARES, M. (<i>Spain</i>) A double-wall reinforced shotcrete structural element. Application to gravity and arch dams.....	501
R. 31.	RUEDA, F., CAMPRUBI, N., GARCIA, G., PARDO, J. M. (<i>Spain</i>) Thermomechanical analysis of La Breña II dam during its construction process : Evaluation of potential thermal cracking.	513
R. 32.	ARIAS, F. J., TORRE, R., ORTEGA, S. F. (<i>Spain</i>) Design aspects of the Pirrís hydroelectric project in Costa Rica.....	525

R. 33.	ORTEGA, S. F., ORTEGA, C. F. (<i>Spain</i>) Roller-compacted concrete dams : An answer to time and cost reduction in dam design and construction.....	537
R. 34.	VASQUEZ, V. M., WOLFHOPE, J. S., GARRETT, R., TULLIS, B. (<i>United States</i>) Providing the reliability of a labyrinth weir at half the cost.....	549
R. 35.	ENGEMOEN, W. O., KIENE, A. H. (<i>United States</i>) Use of unique technologies in the design of embankment dams	573
R. 36.	RIZZO, P. C., GAEKEL, L., KESSLER, K., GAULT, H. (<i>United States</i>) Foundation treatment for Saluda Dam	593
R. 37.	KAKUE, T., KISHI, H. (<i>Japan</i>) Evaluation of rock permeability in the foundation design. Rela- tionship between the Lugeon value and permeability	609
R. 38.	UCHITA, Y., HASUMOTO, K., KANTO, K. (<i>Japan</i>) A study on cement grouting based on the clogging in an injection hole.....	633
R. 39.	NAKAE, K., HAMADA, K., KASHIWAI, J., SAKURAI, T. (<i>Japan</i>) New type radial gates for Tomata dam.....	651
R. 40.	KASHIWAYANAGI, M., SATO, M., SATO, Y., TAKIMOTO, J. (<i>Japan</i>) Performance of geosynthetic-rubber-sheet facing for the upper pond of seawater pumped storage hydropower plant.....	667
R. 41.	FUJISAWA, T., KAWASAKI, H., AKAGI, S. (<i>Japan</i>) Study on formation of a dam abutment by a concrete structure	693
R. 42.	CASTRO ABONCE, J., CASTELLANOS, P.P., MARENGO MOGOLLÓN, H. (<i>Mexico</i>) Fuse plug and preliminary diversion tunnel, effective tools to reduce cost and save time.....	719
R. 43.	MIHAESTEANU, E., STEMATIU, D., POPOVICI, A. (<i>Roma- nia</i>) Design of new arch dam on existent basement.....	729
R. 44.	HUMES, C., MAURO, V., CAMPOS, J. A. (<i>Brazil</i>) The use of non-conventional lining in pressure tunnels	749
R. 45.	MARTINS, L. C., RUFINO PEREIRA, M. S., DE FREITAS FLORENCE, A., QUEIROZ ESTEVES, A. C. (<i>Brazil</i>) Executive planning and Campos Novos CFRD construction.....	761
R. 46.	MARTINS, L. C., RUFINO PEREIRA, M. S., DE FREITAS FLORENCE, A., FRITZEN, K. L. (<i>Brazil</i>) Executive methodology for diversion of Canoas river in Campos Novos HPP	775
R. 47.	BARHOUCHE AIRE, A. D. (<i>Brazil</i>) The unconventional cross section of Irapé dam - Numerical modeling versus instrumentation data for stress and deforma- tion during construction.....	795
R. 48.	SOBHY KAMEL, K. F., MARQUES FILHO, P. L., DIAS RESENDE, F., PERON, M. R., GOMES DE MENDONÇA, T., DIAS MOREIRA FILHO, R. (<i>Brazil</i>) Unusual conditioning and innovative solutions at Irapé rockfill with clay core dam.....	815
R. 49.	MARULANDA, A., LARREA, O., MARULANDA, A. (<i>Colombia</i>) Innovative design and construction procedures to cope with com- plex geological and environmental conditions at the Salve Fac- cha dam.....	837

R. 50. MARULANDA, A., MARIÑO, J. J., AMAYA, F., MORENO, M. C. (<i>Colombia</i>) Chisacá dam - Design and construction.....	853
R. 51. McGRATH, S., BUCHANAN, P., WARK, B., FOX, S., WALLER, J. (<i>Australia</i>) Eildon project alliance delivers cost effective spillway capacity upgrade	875
R. 52. DAWSON, R. M., GRIMSTON, J. O., BURR, J. P. (<i>New Zealand</i>) Variability from investigation to construction for several embankment dams in New Zealand.....	899
R. 53. IZHAR-UL-HAQ, TANVEER ABBAS, S. (<i>Pakistan</i>) Mangla dam raising project upgradation of existing spillway.....	921
R. 54. VAN WYK, D., OFFICER, A., SCHWARZ, W., GOODEY, G., ROOSEBOOM, A. (<i>South Africa</i>) Design and model testing of a labyrinth spillway for Maguga dam	931
R. 55. Xianxue ZHAO, Shen YIYUAN (<i>China</i>) Exploration into safety and economy of choosing the over dam spillway on lower reservoir's concrete-faced rockfill dam of the Tongbai pumped storage power plant	959
R. 56. Zhang ZHONGQING (<i>China</i>) Design and construction schedule of high RCC arch dam.....	969
R. 57. Ma HONGQI, Peng SHAOJUN, Feng BOHAO, ZHANGYUN-SHENG, Luo XIAOMING, Shen SIYUAN, Zhu BAOFAN (<i>China</i>) Summary about design and construction of the diversion tunnels at Xiaowan hydropower station.....	977
R. 58. ABEDNAMINI, J., MINAIE, H. (<i>Iran</i>) Proper solution in chute spillway concrete works at M. S. HEPP, considering thermal stress analysis.....	999
R. 59. RAOUF SHAAT, M. A., CACERES CACERES, L. M., FERREIRA LEITE, J. E. (<i>Brazil</i>) Funil and Porto Estrela hydropower plants : technical solutions adopted for reducing construction time.....	1009
R. 60. KARIMI, M. A., ALBEHESHTI, N., BOGHOSSIAN, R. V. (<i>Iran</i>) Redesign of the Ariu Barzan dam based on a new approach to diversion system.....	1031
R. 61. KARIMI, M. A., ALBEHESHTI, N. (<i>Iran</i>) Challenges to the feasibility of the highest arch dam in the world..	1041
R. 62. REZAZADEH AZAR, E. (<i>Iran</i>) Saving time and cost by selecting delivery system in dam construction projects	1055
R. 63. TOLOUIE, E., RANJBAR, M. H. (<i>Iran</i>) Design and construction of a diversion dam using innovative solutions.....	1069
R. 64. HEIDARI, A., SOROUSH, M., MOJTAHEDI, A. F., SAMARI, H. (<i>Iran</i>) Risk based design of diversion system : A case study in Iran	1083
R. 65. FARIDANI, V., RAZMI YEGANEH, R., NOZHAT, N. (<i>Iran</i>) Savings made in Sattar-Khan dam project by employing a skew crest spillway	1095
R. 66. FARZI, F., TADAYON, H.R. (<i>Iran</i>) Savings in upgrading Zarineh-Roud dam pillway	1105
R. 67. MOAREFI, H. (<i>Iran</i>) Saving in design of Gotvand regulating weir raising.....	1117

- R. 68. SHOJAEI, A. (*Iran*)
Reliability of Karun 3 dam diversion gates in closure of the diversion tunnel in impounding dam..... 1129
- R. 69. JOHANSON, S., WATLEY, D. (*Sweden*)
Distributed sensing of seepage and movements using optical fibres - Some results from innovative installations in embankment dams in Sweden..... 1143
- R. 70. BESSIÈRE, C. (*France*)
Safe overtopping of cofferdams and dams under construction 1161
- R. 71. LINO, M., DEROO, L. (*France*)
Barrage symétrique en remblai dur - Retour de 10 ans d'expérience . 1173
- R. 72. PEREZ, M., MERCIER, A., BOUTET, J. M. (*France*)
Exposé des différentes solutions mises en œuvre à EDF pour améliorer le passage des crues sur des barrages existants présentant une débitance insuffisante 1193
- R. 73. KRAMER, K., HAGER, W. H., MINOR, H. E. (*Switzerland*)
Air concentration of flow in chute spillways..... 1215
- R. 74. BOSSONEY, C., COMTESSE, J. L., MOUVET, L., WOHNLICH, A., AJEJE, W., BONIFACIO, P., Junior. J., ANDRIOLO, F. R. (*Switzerland*)
Innovative construction method for arch dams - Theoretical and practical approaches of the Stod method 1231
- R. 75. BALISSAT, M., BOSSONEY, C., NILIPOUR, N., FANKHAUSER, A. (*Switzerland*)
Heightening and transformation of a single curvature arch-gravity dam into a double curvature arch dam..... 1247
- R. 76. NADPARA, C. V., PATEL, D. H., GOLWALA, M. G. (*India*)
Rehabilitation of earthquake damaged earth dam and provision of fuse plug embankment in Suvi irrigation scheme 1267
- R. 77. ARGAL, E., ASHIKHMEN, V., KOROLEV, V., PRONINA, L. (*Russia*)
Particularities of anti seepage grouting in low-groutability foundation rock..... 1279
- R. 78. BARCOUDA, M., CAZAILLET, O., COCHET, P., JONES, B. A., LACROIX, S., LAUGIER, F., ODEYER, C., VIGNY, J. P. (*France*)
Cost effective increase in storage and safety of most dams using fusegates or P. K. Weirs..... 1289
- R. 79. CIUHA, D., MLACNIK, J. (*Slovenia*)
Low head stilling basin with side dissipation beams for improved dissipation efficiency 1327
- R. 80. MORE, D. M., METHEKAR, N. M., SHARMA, R. G. (*India*)
Thickening of overflow section of Koyna dam and its hydraulic performance for partial construction stage, India 1341
- R. 81. ANTONIOU, D., COOPER, F., GOSDEN, J. D. (*Cyprus*)
The foundation treatment of Kannaviou dam, Cyprus 1361
- R. 82. WAGNER, C. M., ALETRAS, S., CHRYSOSTOMOU, E., KYRIACOU, E. (*Cyprus*)
The design and performance of Tamasos dam founded on complex foundations 1381
- R. 83. PIMENTA, J. F., FERNANDES RODRIGUEZ DE CAMPOS, M. T., AYRES DE CAMPOS, J., MAURO, V. (*Brazil*)
Innovative solution for the Machadinho diversion system 1397
- R. 84. MATERON, B. (*Brazil*)
Innovative design and construction methods for CFRDs 1411

R. 85. FORSATKAR, E. (<i>Iran</i>) A new quadratic assignment model for optimizing facility layout in dam construction site	1423
R. 86. EL-ASHAAL, A. A., ABDEL MOTALAB, M. (<i>Egypt</i>) Using low cost local materials to construct roller compacted concrete dam	1435
R. 87. KALTCHEV, I. S. (<i>Bulgaria</i>) Cost reduction of Assarel tailings dam by application of unconventional cross section	1449
R. 88. JIA, Jinsheng, MA, Fengling, LI, Xinyu, CHEN, Zuping, WANG, Xiaoqiang (<i>China</i>) Application of cement sand and gravel (CSG) dam in China and lab test on CSG material dissolution.....	1457
R. 89. VIEIRA XAVIER, L., TAJIMA, R., VASCONCELOS, D. B. DE (<i>Brazil</i>) Quebra Queixo hydropower project's lateral spillway.....	1465
R. 90. JÓHANNESSON, P., KRÖYER, J. (<i>Iceland</i>) Fast-track construction of the Karahnjúkar CFRD in Iceland.....	1479
R. 91. PARMAR, B. J., GUPTA, R. L. (<i>India</i>) Final stage diversion of Narmada River fair weather flows during construction of Sardar Sarovar (Narmada) dam	1499
General Report/Rapport général Q. 84 MACHADO, B. P., General Reporter (<i>Brazil</i>).....	1517

COMMISSION INTERNATIONALE
DES GRANDS BARRAGES

VINGT DEUXIEME CONGRÈS
DES GRANDS BARRAGES
Barcelone, juin 2006

PASSING DIVERSION FLOW OVER PARTIALLY COMPLETED EMBANKMENT DAMS ^(*)

T.C. KABELL

Ministry of Water Development

ZIMBABWE

1. INTRODUCTION

This paper discusses two strategies that can be applied in the design and construction of embankment dams. Elimination of large temporary works for river diversion can yield major economies and possible reduction of the construction period can result in further substantial savings. It cannot be claimed that these approaches are innovative or even original, it is believed, however that they are not widely adopted and this opportunity is taken to emphasize their efficiency. Case studies are presented of several applications of these methods in Zimbabwe over recent years.

2. GENERAL

River diversion involving the provision of temporary works for the safe passage of flood flows can constitute a large proportion of the construction period and of the cost of a dam project. By their nature, embankment dams are more susceptible to the problems. Some economies can often be realized by combining the necessary diversion works with final features of the dam, such as the permanent outlets. In general however, temporary diversion works entail a

^(*) *Déversement du débit de dérivation provisoire sur les barrages en remblai partiellement achevés.*