



BALKEMA – Proceedings and Monographs in
Engineering, Water and Earth Sciences

PROCEEDINGS OF THE INTERNATIONAL SYMPOSIUM ON DAMS IN THE SOCIETIES OF
THE 21ST CENTURY, ICOLD-SPANCOLD, 18 JUNE 2006, BARCELONA, SPAIN

Dams and Reservoirs, Societies and Environment in the 21st Century

Edited by

L. Berga, J.M. Buil, E. Bofill, J.C. De Cea, J.A. Garcia Perez,
G. Mañueco, J. Polimon, A. Soriano & J. Yagüe
Spanish National Committee on Large Dams, SPANCOLD

Volume 1



Taylor & Francis
Taylor & Francis Group

LONDON/LEIDEN/NEW YORK/PHILADELPHIA/SINGAPORE

Copyright © 2006 Taylor & Francis Group plc, London, UK

All rights reserved. No part of this publication or the information contained herein may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, by photocopying, recording or otherwise, without written prior permission from the publisher.

Although all care is taken to ensure the integrity and quality of this publication and the information herein, no responsibility is assumed by the publishers nor the author for any damage to property or persons as a result of operation or use of this publication and/or the information contained herein.

Published by: Taylor & Francis/Balkema
P.O. Box 447, 2300 AK Leiden, The Netherlands
e-mail: Pub.NL@tandf.co.uk
www.balkema.nl, www.tandf.co.uk, www.crcpress.com

ISBN 10 Set: 0 415 40423 1
ISBN 10 Volume 1: 0 415 40240 9
ISBN 10 Volume 2: 0 415 40422 3

ISBN 13 Set: 978 0 415 40423 5
ISBN 13 Volume 1: 978 0 415 40240 8
ISBN 13 Volume 2: 978 0 415 40422 8

Printed in Great-Britain




Table of Contents

Preface	XVII
<i>Volume I</i>	
<i>Theme 1. Role of dams and reservoirs</i>	
General Report – Session I <i>H. Roo (Venezuela)</i>	3
Hydropower issues in China <i>P. Jiazheng (China)</i>	9
The developing hydropower in China <i>Dabing Zhou (China)</i>	15
Analysis of the role and strategic position of Dadu waterpower development <i>Chen Gang, Ma Guangwen & Fu Xingyou (China)</i>	21
Functions of dams in ensuring drinking water safety in China <i>Dangsheng Zhu (China)</i>	27
The role of dams performed in Japan and their future <i>M. Okano, N. Matsumoto, S. Jojima & H. Mori (Japan)</i>	31
Shikoku is one – roles of dams in Yoshino River Comprehensive Development Project. Arrangements to realize one of Japan's greatest water diversion plan and flood control effect of dams <i>Y. Sugimura (Japan)</i>	39
Flood evaluation and management after the High Dam Reservoir <i>Mhmod M. Sayed & Medhat M. Kamal (Egypt)</i>	47
Role of Sardar Sarovar Narmada Project in water management, hydro power and flood control <i>B.J. Parmar (India)</i>	53
Dams as a tool for integrated water management in Sahelian Africa <i>A. Nombre & F. Millogo (Burkina Faso)</i>	61
Holistic approach to dam safeguard and reservoir operation in Sicily <i>M. Mauro, G. Curto, S. Giunta, I. Melisenda Giambertoni, R. Jappelli, M. Cassarà, D. Di Ferro, C. Gambino, M. Loria, F. Piazza, A. Catalano & V. Pascucci (Italy)</i>	69
Analysis of the viability of dams and their alternatives – The case of Cyprus <i>S. Stefanou & K. Kyrou (Cyprus)</i>	81
Reservoirs and their role in economical and social development of Tajikistan and Central Asia region <i>I. Sh. Normatov & G.N. Petrov (Tajikistan)</i>	87

Improved dam operation in the Amu Darya river basin including transboundary aspects <i>J. Froebrich, O. Olsson, M. Bauer, I. Normatov & G. Petrov (Germany, Tajikistan)</i>	97
La Loteta Dam. A strategic location <i>R. Lafuente, J. Granell, I. Poyales & V. Flórez (Spain)</i>	105
Consequences of the regulating dams at the head of the Tagus River in the management of water supply, hydropower and flood prevention <i>F.J. Flores Montoya, G. Liébana del Pozo, M.A. Ortiz de Andrés & J. Mora Colmenar (Spain)</i>	113
Azúa Valley Lake and integrated water resources management in Vitoria-Gasteiz <i>R. Mujeriego & J. López (Spain)</i>	117
The Canales dam on the river Genil (Granada), a key element in guaranteeing the water supply to the city and its metropolitan area <i>M. Vizcaino (Spain)</i>	125
Computerised management of the safety, operation and maintenance of the dams belonging to the Canal de Isabel II <i>J.A. García Pérez & V. Gaitán Santos (Spain)</i>	129
Change in the use of the dam El Yeso associated to the social and economic development of Santiago (Chile). Different aspects of the drinking water supply of this Andean metropolis <i>M. Concha Mathiessen & A. Juanmarti Balust (Chile)</i>	135
The role of Dez and Karun dams on Karun river water quality management <i>M.R. Sakian D. (Iran)</i>	143
Operation of the Yacyretá complex reservoir (reduced bench mark) <i>L. Chamorro (Paraguay)</i>	149
Studies and geotechnical design of the El Cajon Dam <i>J.D. Alemán Velásquez & H. Marengo Mogollon (Mexico)</i>	153
ZHUR hydropower-plant importance for the electro-energetic system of Kosova <i>Z. Idrizi & I. Idrizi (Serbia & Montenegro, FYR Macedonia)</i>	159
Historical dam Rozgrund – reconstruction of its bottom outlet <i>P. Glaus (Slovak Republic)</i>	165
Organization of geographical information, in a GIS, for an integrated management and a decision-making aid in the water resources domain. Application to the watershed of Macta (Western Algerian) <i>A. Mendas, K. Benhanifia, S. Bounaceur & H. Medjelled (Algeria)</i>	169
Flood protection by large dams and flood polders. Chances and limits <i>T. Strobl, F. Zunic, M. Fischer & M. Schindler (Germany)</i>	177
Expectations and reality about the role of dams for flood control – experience of the extreme flood in August 2002 in Saxony <i>A. Schumann & H.-U. Sieber (Germany)</i>	185
Dams and floods in the Czech Republic <i>J. Riha (Czech Republic)</i>	193
Extreme events in the Grijalva river hydroelectric system in the southeast of Mexico in 1999 <i>H. Marengo, L. Athié & O. Calahorra (Mexico)</i>	199

Flood's control at Pedra do Cavalo Dam <i>J.L.R. Amorim (Brazil)</i>	207
Flood management in reservoirs in upper river basins from real time data collection by using downstream water alert systems <i>A. Rodriguez de la Torre, R. Álvarez Gordón, J. Gras, P. García Rubi & R. Rollán (Spain)</i>	211
The management of floodgates <i>J. Espinós Solís (Spain)</i>	219
Role of outlet works in management and control of floods <i>G. Ciaravino (Italy)</i>	223
Exploitation of the inactive dam. Optimization system of water intake. Floating intake, components, functioning and its application to water intakes <i>A. Colmenarejo González & J. García Orna (Spain)</i>	231
Environmental integrated rules in dams with water quality problems. The Santomera Dam, an example on how to integrate water quality and water quantity needs <i>J. Ginés Muñoz, F. Montalbán, J. Gras, P. García Rubi & F. Matador (Spain)</i>	237
 <i>Theme 2. Benefits of dams</i>	
General Report – Session II <i>E. Cifrés (Spain)</i>	245
Macroeconomic effects of a dam project in a developing country <i>T. Tada & T. Hagiwara (Japan)</i>	259
Analysis of economic impact in water conservancy and hydropower development <i>C. Shaojun & S. Guoqing (China)</i>	267
Benefits of Xiaolangdi Multipurpose Dam Project in initial operation <i>H. Tang, X. Xin, & Z. Qi (China)</i>	273
Coupling the long-term and short-term optimization models for reservoir operation <i>X. Dong, Y. Zhao, J. Yuan, Q. Peng & S. Guo (China)</i>	277
Methods of measurement of contribution of large dams to the national economy <i>A. Noori Esfandiari & T. Aryan (Iran)</i>	283
Karun River hydropower cascade development and its socio-environmental impacts <i>P.T. Shourijeh, A. Soroush, N. Nemati & A.H. Izad-doustdar (Iran)</i>	289
Role of large multipurpose dams in the economy of Pakistan <i>Zahid Majeed & Zia-ul-Hasan (Pakistan)</i>	295
Ecological, irrigation and energetic criteria of construction of reservoirs <i>I. Sh. Normatov & G.N. Petrov (Tajikistan)</i>	301
Challenges of multi purpose dam project and management in African countries: A case study of the River Niger Basin system <i>I.E. Ekpo & J. Akanmu (Nigeria)</i>	307
The benefit of large dams to national and regional economy of Nigeria <i>B.O. Johnson Adewumi (Nigeria)</i>	313

Redesigning existing large dams for multipurpose <i>M. Simainga (Zambia)</i>	317
ITAIPU Binacional: An important factor of regional development <i>S. Mariano Abud & M. López (Paraguay)</i>	325
The holistic vision of the role of large dams in Peru in the XXI century <i>M. Suazo & R. Rodríguez (Peru)</i>	331
The construction of Angostura's Dam and two Hidropower <i>D.A. Loayza (Peru)</i>	337
Meteorological and hydrological forecast as an improvement of hydroelectric management in the North-Patagonia Argentina <i>M. Marizza, F. Losano & P. Fernández Carrasco (Argentina, Spain)</i>	341
Economic impact caused by the transfer Tagus-Segura in the southeast of Spain <i>F.J. Flores Montoya, G. Liébana del Pozo, M.A. Ortiz de Andrés & J. Mora Colmenar (Spain)</i>	345
Socioeconomic development vs. available hydric resources. The case of the region of Madrid <i>F.J. Flores Montoya, G. Liébana del Pozo, M.A. Ortiz de Andrés & J. Mora Colmenar (Spain)</i>	349
Demographic impact of the regulation of surface waters. The case of the public irrigated areas in the Tagus River basin <i>F.J. Flores Montoya, G. Liébana del Pozo, M.A. Ortiz de Andrés & J. Mora Colmenar (Spain)</i>	353
Dam failure consequences on water resources system <i>E. Triana, I. Escuder, M.G. de Membrillera & L. Altarejos (Spain)</i>	357
New large dams are necessary in FYR Macedonia <i>L. Tančev & L. Petkovski (FYR Macedonia)</i>	365
Hydro power plant "Kozjak", a key water management system of future optimum development for the capital Skopje <i>S. Mihajlovski & B. Dimitrievska (FYR Macedonia)</i>	373
The PSHPP Chebren and Galishte opportunity for rehabilitation of Mariovo – Macedonia <i>I. Andonov-Chento & T. Paskalov (FYR Macedonia)</i>	377
A multipurpose lower Sava river project in Slovenia: Examples of the Blanca and Krško cascades <i>A. Širca & B. Barbič (Slovenia)</i>	385
 <i>Theme 3. Dam engineering and analysis of alternatives</i>	
General Report – Session III <i>J. Polimón (Spain)</i>	395
Bankable Feasibility Study for Rogun HEP Stage 1 construction completion in Tajikistan <i>R. Schmidt, S. Zambaga-Schulz & M. Seibitz (Germany)</i>	405
Upgrading mangla dam-alternativa resolutions <i>W. Gulrez & Z.M. Malik (Pakistan)</i>	415
Analysis of alternatives to increase the available hydric resources in the Alberche River to supply Madrid <i>F.J. Flores Montoya, G. Liébana del Pozo & M.A. Ortiz de Andrés (Spain)</i>	421

La Colada Dam (Córdoba): An example of technical, economic, social and environmental viability <i>A.A. Rodríguez & P. Elías Fernández (Spain)</i>	425
Construction of the first concrete faced gravel-fill dam (CFGD) in Korea - Hwabuk multi-purpose dam <i>W.-H. Lee, K.-T. Yum & H.-D. Lim (Korea)</i>	433
Merowe Dam Project – a combination of an earth core rockfill dam and the world longest concrete faced rockfill dam <i>L.D. Schewe & A. El Tayeb (Germany, Sudan)</i>	441
Decision-making system of optimization design for high arch dam <i>S. Chao & Pan Hai-Lin (China)</i>	449
A certain degree of risk: The results of an assessment of flood risks in the Netherlands <i>C.J. van Westen (The Netherlands)</i>	453
Design of a new economic shape of weir <i>A. Ouamane & F. Lempérière (Algeria, France)</i>	463
Analysis of the viability of a flood control dam in a Spanish Mediterranean basin <i>M.G. Mañueco, C. Torres-Quevedo, M. González, A. Molina, J.C. Gutiérrez, F. Soriano, F. Villalba, S. Hoppe & I. Escuder (Spain)</i>	471
Small overtoppable earthdams as alternative for flood protection purposes <i>R. Siebel (Germany)</i>	477
Evolution of groundwater quality around dam-site and its significance <i>H.-Z. Song & J.-F. Huang (China)</i>	485
Deformation behavior analysis of Concrete-Faced Rockfill dam based on monitoring data <i>D.-J. Yoon, Y.-C. Song, Gi-S. Pang, In-S. Kim, M.W. Soo & Y.-S. Kim (South Korea)</i>	491
Behavior analysis and deformation guidelines of rockfill dams <i>Y.-S. Kim, M.-S. Won, Y.-A. Lee, Gi-S. Pang, Y.-C. Song & D.-J. Yoon (South Korea)</i>	499
Safety management of water-power generation rockfill dam by monitoring system <i>Gi-S. Pang, Y.-C. Song, Y.-M. Kim, Y.-S. Kim, M.W. Soo & H.-W. Ko (South Korea)</i>	505
Successive seismic reflection methods aided to find the change of structure and material properties in center core type earth-fill dam <i>H.-S. Kim, H.G. Park, Y.S. Yoo, J.-Y. Kim & Y.S. Kim (Korea)</i>	511
Analysis of the possibilities of using reactive aggregates in the construction of new concrete dams <i>J. Segarra Horadada, J.M. Buil Sanz & A. Aguado de Cea (Spain)</i>	515
A new device for field calibration of total pressure cells in Doosti and Esfarayen dams <i>R. Jamshidi Chenari & M. Nikkhah (Iran)</i>	521
Study on the seepage monitoring theory with temperature in embankment dam <i>LI. Duan-you, Xiong Jian & Wang Huang (China)</i>	527
Back analysis of dam based on uniform design and genetic neural network <i>LI. Duan-you, Xiao qing Gan & Yianyang Guo (China)</i>	533

Application of BP network to multiple-spot model of dam deformation monitoring <i>Li. Duan-you & Zhou Yuanchun (China)</i>	541
New technologies in the rehabilitation of the drainage network in dams <i>A. Román & A. Gonzalo (Spain)</i>	545
The upstream zone of a very high CFRD <i>F. Mendez & H. Marengo Mogollon (Mexico)</i>	553
Technical and economical comparison between two reinforcement methods of coastal dykes <i>A.Y. Daghigh, A. Karami Khaniki, A. Tolooiyan & B.H. Shahroozifar (Iran)</i>	561
Specific procedures used during the construction of the asphaltic concrete core in Mora de Rubielos dam <i>J.M. Benlliure, M.G. de Membrillera, C. Seidl & V. Flórez (Spain)</i>	567
Seals for Aguamilpa, El Cajón y La Parota concrete face dams, in México <i>J. Fuentes & E. Mena (México)</i>	573
Hydroelectric project "El Cajón, Nay. México" design and construction of the deviation project using the criterion of compound corrugation <i>H. Marengo, L. Athié & O. Calahorra (México)</i>	583
Use of non plastic material in core of Shamil & Nian earth fills dams <i>F. Jafarzadeh, Y. Daghigh & A. Reza gholi lou (Iran)</i>	589
Phased construction of the Barragem de Cerro do Lobo <i>M. Oliveira Toscano & M. Cambridge (Portugal, UK)</i>	593
Lessons learnt from karst hydro-geological and geological investigations at Baraftab dam site (Southern Iran) <i>M. Shirouyeh, M. Giahi & M.T. Goudarzi (Iran)</i>	601
The flood energy dissipation features and feasibility analysis for Wudongde Hydraulic Power Station <i>Han Jibin, Lu Hong, Han Xijun & Guo Yanyang (China)</i>	607
Monitoring as a tool of dam safety improvement at Plavinas HPP <i>S. Dislere (Latvia)</i>	611
Innovative design for durable and economic spillway structure using SFRC <i>M. Safi, M. Hamidian & H. Sahranavard (Iran)</i>	619
Current progress of HPP "LESCE" under construction in Croatia <i>N. Petrovic, S. Uzelac & M. Feketic (Croatia)</i>	629
Optimization of concrete gravity dams foundation drainage systems <i>J.F. Da Silva (Brazil)</i>	633
Special precast for San Francisco Hydroelectric Power Plant – Equator <i>J.F.F. Nascimento, N.G. Graça, S. Freitas & A. Toro (Brazil, Equator)</i>	641
Application of jet grouting for watertightening of coarse grained alluvium <i>H. Bagheri (Iran)</i>	647
Research and application of the new technique of seepage control – the replaceable relief well <i>W. Chang Yu & Z. Wei (China)</i>	651

Study dam-detouring leakage at the left abutment of Xiaolangdi reservoir using nature tracers <i>J. Chen, F. Zhechao & D. Haizhou (China)</i>	657
Estimating development of the Urridafoss ice jam by using a river model <i>J. Eliasson & G. Orri Gröndal (Iceland)</i>	667
Dam leakage and relevant leakage diagnoses in China <i>L. Jiangang, Fang Fang & J. Chen (China)</i>	673
Safety of cracked buttress dams – an example <i>T. Ekström (Sweden)</i>	679
Construction of pressure relief wells under flowing artesian conditions, Karkheh storage dam – Iran <i>Mohammad Heidarzadeh, Ali A. Mirghasemi, F. Eslamian, H. Nirroomand & Seyed M. Etemadzadeh (Iran)</i>	687
The influence on drawdown in a water power station due to eroded material in the outlet channel <i>F. Persson (Sweden)</i>	695
Contribution of the Lar Dam-Polur lineament in the Lar dam leakage <i>Kh. Fegghi (Iran)</i>	699
Comprehensive evaluation with variable fuzzy sets for global stability of high-steep rock slope of Three Gorges Project permanent shiplock <i>Y. Guo & S.Y. Chen (China)</i>	707
The landslide event in left Bank of Seymareh dam project: History, geotechnical conditions and remedial works <i>M. Yazdani & Kh. Solgi (Iran)</i>	715
Mass movement and risk assessment in Komani hydropower area, Albania <i>Y. Muçeku & H. Reçi (Albania)</i>	723
Evaluation of rock mass modulus by Ramamurthy equivalent media – a case study of Masjed Soleyman Cavern <i>M. Bagheri & N. Shafiezadeh (Iran)</i>	731
Analytical and comparative study on Karst problems and treatments in world's dams <i>N. Talebbeydokhti, M.H. Fatahi & A. Shamsai (Iran)</i>	737
Effective modeling of sedimentation system in the Himalayan region Karcham Wangtoo Hydroelectric Project (1000 MW) – a case study <i>Satish Kr. Sharma, R.C. Gupta, J.A. House & Vasant Vihar (India)</i>	745
Abrasion of dam surface by high-velocity sediment-laden flow and effect of aeration on abrasion resistance <i>X.B. Huang (China)</i>	751
Appropriate application of artificial neural networks for flow forecasting <i>X. Dong, Y. Zhao, J. Yuan, Q. Peng & S. Guo (China)</i>	755
Contribution of the space imagery in the study of the receiving mediums of urban worn water. Catchment area of Wadi El Maleh <i>N. Bentekhici (Algeria)</i>	765
Itaipú Binacional Hydrometeorologic Control System <i>R.M. Almirón, A.P. do Nascimento, A. Garcete & J.M. Rivarola (Paraguay)</i>	771

Soil water balance model of a grass-covered clay slope in England <i>L. Gang & D. Clarke (China, UK)</i>	777
Simulation of rainfall-runoff process by ANNs and HEC-HMS model <i>M. Akbarpour & M.B. Rahnama (Iran)</i>	783
Application of Kalman filter to multisite annual discharge prediction <i>K. Boukharouba & A. Kettab (Alger)</i>	787
Forecast of behaviour and operation the maximum flood on the middle watershed that located between two large dams <i>R. Bashoul (Iran)</i>	793
Seismic pore pressure changes of the Karkheh Dam With mixed clay core <i>S.M. MIR Mohammad Hosseini & F. Nasrollahi (Iran)</i>	797
Numerical analysis of concrete face rockfill dam under three-dimensional conditions <i>A. Frutuoso, A.P. Assis, M.M. Farias & P. Falcão (Brazil)</i>	803
Study of admissible exit gradient values with respect to the piping phenomenon using physical and numerical modeling <i>B.G.S. Mansour (Egypt)</i>	807
Hydraulic characteristics of stepped spillway in Haraat earth-fill dam <i>F. Golzari Rahatabad (Iran)</i>	815
Effect of number of layers on incremental construction analysis of earth and rockfill dam <i>S.M.A. Zomorodian, K. Sahebzadeh & A. Torabi Haghghi (Iran)</i>	825
Effects of gypsum karstification on the performance of Upper Gotvand dam, 2D and 3D approaches <i>J. Sadrekarimi, M. Kiyani & B. Fakhri (Iran)</i>	831
Research of new reasonable section of gravity dam on the base of topology optimization <i>Bei Sun & Chao Su (China)</i>	839
A model of ice loads on dam structures <i>T. Ekström (Sweden)</i>	845
Crack propagation model in concrete gravity dams <i>R. Attarnejad & A.R. Lohrasbi (Iran)</i>	851
The comparative study of discrete crack and smeared crack methods in concrete gravity dams <i>R. Attarnejad & A.R. Lohrasbi (Iran)</i>	855
Study on simulation calculation of fractured rock mass <i>J. Zhao & J. Wei (China)</i>	859
Role and behavior of surge chamber in hydropower: Case of the Robert Bourassa hydroelectric power plant in Quebec, Canada <i>M. Fuamba, G. Brosseau, E. Mainville, S. Colameo & D. Sparks (Canada)</i>	867
Numerical analysis as a framework for RCC dam feasibility analysis <i>D.A.V. Krüger, R.D. Machado, M.B. Hecke, E.E. Kavamura & N.F. Carvalho (Brazil)</i>	875
Thermo-mechanical comparison of RCC method and conventional method of construction of arch dams <i>N. Nilipour, A. Wohnlich & Anton J. Schleiss (Switzerland)</i>	881

Research and applications of arch dam optimal design based on the finite element method <i>Su chao & Jiang Hongdao (China)</i>	889
The numerical simulation of flood induced by dam-break for power stations in cascade <i>L. Xiaoping & L. Tongchun (China)</i>	897
A new comprehensive framework for the analysis of mass concrete: Thermo-chemo-mechanical, experimental, numerical and data modeling <i>E.M.R. Fairbairn, R.D. Toledo Filho, M.M. Silvano, F.L.B. Ribeiro, A.G. Evsukoff, I.A. Ferreira, E.A. Guerra, M.A.S. Andrade, E.F. Faria & W.P. Andrade (Brazil)</i>	901
Control of water head in the vertical drain <i>A. Djehiche, Z. Derriche & K. Kotchev (Algeria, Bulgaria)</i>	913
Dam-break flood sensitive analysis. Case study in the "Confederación Hidrográfica del Ebro" <i>G. Cobos, M.A. Eguibar & L. Bañuls (Spain)</i>	917
Analysis of earthquake responses for Jiudianxia concrete face rockfill dam <i>Zhen-zhong Shen, Xu-yu Wen & Sheng-xi LV (China)</i>	925
3D non-linear dynamic response of rock-fill dam <i>V.J. Mircevska, V. Bickovski & M. Garevski (Republic of Macedonia)</i>	931
Polynomial curves and lofting. Applications to the design of an arch dam <i>A.H. Delgado Olmos, M.L. Márquez García & J.C. Olmo García (Spain)</i>	939
Simultaneous effect of height and shear strength parameters on optimization of embankment dams – two case studies <i>M. Veis Karami, M.A. Mehrdad & A. Eslami (Iran)</i>	945
Application of numerical modelling to spillways in Australia <i>D.K.H. Ho, B.W. Cooper, K.M. Riddette & S.M. Donohoo (Australia)</i>	951
Predicting submergence effects for labyrinth weirs <i>B.P. Tullis, J.C. Young & M.A. Chandler (USA)</i>	961
Badoosh dam-break hypothetical using HEC-RAS <i>A. Hussein Dahir (Iraq)</i>	967
New seepage-related design graphs for rock-fill dams <i>A. Soleimanbeigi & F. Jafarzadeh (Iran)</i>	971
Service life of leached concrete dam structures <i>T. Ekström (Sweden)</i>	979
Flood management system for controlled releases <i>J. Gras, P. García Rubi & R. Rollán (Spain)</i>	987
Safety review of dams of the Catalan Water Agency. Practical cases: <i>La Baells, La Llosa del Cavall</i> and <i>Sant Ponç</i> dams. Detected problems and adopted solutions <i>J.M. Dieguez, C. Aguilar, J. Gras & P. García Rubi (Spain)</i>	993
New technology for the regrouting of joints in a vault dam with epoxi resins <i>F. Rio, R. Fernandez & A. Gonzalo (Spain)</i>	1003
Study of historical hydraulic structures of Shushtar under extreme loadings <i>F. Khoshnoudian & R. Tavakoli (Iran)</i>	1009

Flow resistance and design guidelines for embankment stepped chutes <i>C.A. Gonzalez & H. Chanson (Australia)</i>	1015
Study on hydraulics of the overtopped cofferdam used for flood diversion in hydropower engineering <i>C. Qingsheng, Zhou Chuntian, Li Jing & Teng Libing (China)</i>	1023
Control of alkali silica reaction at Tala Hydroelectric Project in Bhutan <i>Rajbal Singh, A.K. Sthapak, Phuntso Norbu & R.N. Khazanchi (Bhutan)</i>	1029
The potential of a ground based transceivers network for water dam deformation monitoring <i>J.B Barnes & J. Van Cranenbroeck (Australia, Switzerland)</i>	1037
Works for improving the safety conditions of the Roman dam of Cornalbo <i>F.Aranda Gutiérrez, J.L. Sánchez Carcaboso, J.M. Balsa Bretón & A. Bernal Couchoud (Spain)</i>	1047
Author index	1055
 <i>Volume II</i>	
 <i>Theme 4. Social and environmental aspects</i>	
General Report – Session IV <i>A.H. Walz (USA)</i>	1061
The role of dams in the XXI Century to achieve a sustainable development target <i>F. Lempérière & R. Lafitte (France, Switzerland)</i>	1065
Dams and the Millennium Development Goals <i>H. Brühl (Germany)</i>	1073
Kyoto Protocol and hydraulic policy <i>F.J. Baztán Moreno, D. Cristóbal Dolado & R. Ricord (Spain, Panama)</i>	1077
Assessment of the sustainability of dams <i>A. Burgueño Muñoz (Spain)</i>	1085
The dam: a fair judgment <i>F. Vázquez Brea (Spain)</i>	1091
Some issues over dams in the 21st century <i>F. Salinas & C. Salinas (Spain)</i>	1097
Viability of dams and their alternatives in a century of globalization <i>G. Visentini (Italy)</i>	1101
Integrated schemes for social and environmental impact management of large dams <i>M. Amato, L. Doria, L. Fantacci, G. Mozzà & M. Meghella (Italy)</i>	1103
Three Gorges Project and the environment <i>C. Guangjing & D. Huichao (China)</i>	1109
Study on eco-environmental monitoring and protection of the Three Gorges Project <i>D. Huichao & Tian Bin (China)</i>	1115
Sustainability management of the Three Gorges Project <i>S. Zhiyu & L. Jian (China)</i>	1123
Environmental protection and development in Xiaolangdi project <i>Dezhong Dong (China)</i>	1131

Analysis of impacts of dams on ecological environment for river ecosystem <i>Chun-mei Mao & Rui-qiang Zheng (China)</i>	1135
Mitigation's observed impacts on the downstream's fish populations, on Yacyretá Hydropower <i>H. Aguadé de Latorre (Paraguay)</i>	1143
Discuss about the need of adopting temperature control device for reservoir to protect the downstream fish growth environment <i>Chen Guanfu & Zhou Jianping (China)</i>	1151
Coordinated development of reservoir resettlement and regional society, economy, environment <i>C. Shaojun & L. Zhen (China)</i>	1155
Support program of dam surrounding areas in Korea <i>L. Gwangman, K. Woogu & P. Yangsoo (Korea)</i>	1161
Dam construction and sustainable livelihood support for displaced people <i>P. Dooho, Y. Yangsoo & S. Youngdu (Korea)</i>	1169
Santa Helena city of waters <i>P. Fernández Carrasco & S. Dellenburger (Spain, Brazil)</i>	1175
The experience of environmental impact assessment of large dams in Spain. 1988–2004. Case analysis <i>R.M. Arce & A. Castro (Spain)</i>	1179
Advances in integrative approaches for dams' viability in Mexico <i>M.A. Gómez B., P. Saldaña F., C. Lecanda T. & E. Gutiérrez L. (Mexico)</i>	1187
Identification of the environmental impacts caused by the expansion of Zimapán power plant <i>O. Calahorra, L. Vázquez, H. Rodríguez, E. Hernández, C. Delfin-Alfonso & G. Benítez (Mexico)</i>	1195
Changes in hydropower exploitation planning due to modern environmental constraints <i>D.A.V. Krüger, E.H. Gomes Jr. & C.E.N.L. Michaud (Brazil)</i>	1201
Hydropower Project, La Parota, Guerrero <i>R.D. Llerandi (Mexico)</i>	1207
The role of environmental studies in the dam construction projects in Iran <i>M. Mivehchi, B.R. Khamsi & A.R. Khamsi (Iran)</i>	1213
Environmental Impact Assessment of the Badovli Reservoir Dam Plan <i>F. Sabzevari & R. Khalili (Iran)</i>	1219
Lessons learned from the water diversion in the hydropower projects in Indonesia <i>M. Marsam (Indonesia)</i>	1223
Social and environment aspect on Musi Hydroelectric Power Project Indonesia <i>K.S. Sugeng (Indonesia)</i>	1229
A dams-targeted environmental enhancement: hydroelectric stations driven by ecological flows <i>I. Guerra Larrabeiti, N. Rodríguez Nieto & R. del Hoyo Fernández-Gago (Spain)</i>	1235
Managing sedimentation in the Swiss Rhone and Génissiat reservoir <i>L. Thareau, Y. Giuliani, C. Jimenez & E. Doutriaux (France)</i>	1243
The production of sediments on Brazil and the management of the hydropower reservoirs <i>F. Campagnoli & N.C. Diniz (Brazil)</i>	1251

Influence of climate change on Halslon reservoir sediment filling <i>S.M. Gardarsson & J. Eliasson (Iceland)</i>	1255
Dams and environment: Effect on soils <i>V.M. Starodubtsev, T.G. Badira & S. Krupelnitskiy (Ukraine)</i>	1261
Dredging the Canfranc reservoir <i>J. Espinós Solís (Spain)</i>	1269
Complex response and geomorphologic thresholds in Large Dams <i>E. Moghimi (Iran)</i>	1275
Corumbá reservoir and Caldas Novas thermal aquifer – GO – Brazil <i>E.J. Gil, E.A. Vargas Jr. & S.K. Ono (Brazil)</i>	1279
Hydrogeological model of Caldas Novas thermal aquifer – GO – Brazil <i>E.J. Gil, E.A. Vargas Jr. & S.K. Ono (Brazil)</i>	1285
Preliminary results of Carbon Budget in two hydroelectric reservoirs in Brazil <i>M.A. dos Santos, B. Matvienko, L. Pinguelli Rosa, E. Oliveira dos Santos, E. Sikar, C.H. Eça D'Almeida Rocha, M. Bento Silva, S. Rao Patchineelam, A.M. Portilho Bentes Junior & R. Santos Costa (Brazil)</i>	1289
Fluxes of greenhouse gases from hydropower dams reservoirs in Brazil <i>M.A. dos Santos, B. Matvienko, L. Pinguelli Rosa, E. Oliveira dos Santos, E. Sikar & M. Bento Silva (Brazil)</i>	1293
Effects of environmental acoustic in hydropower project <i>C.M. Yorg Rojas & P.H. Trombetta Zannin (Brazil)</i>	1297
Ganges water scarcity in the transboundary catchment due to Farakka Barrage and threats to mangrove wetlands ecosystems in the Sundarbans <i>S.N. Islam & A. Gnauck (Germany)</i>	1303
Problems of the surface water source in the Czech Republic <i>P. Novakova & M. Stastna (Czech Republic)</i>	1311
Turbid water management for reservoirs in Korea (focusing on the Imha multipurpose dam in the Nakdong River) <i>K. Deukkoo, N. Joonwoo & K. Jeongkon (Korea)</i>	1317
Social acceptability of dams. Lessons learnt by a builder and manager of reservoirs in France <i>D. Boubée (France)</i>	1321
Social acceptability of dams: Facts and arguments. Public awareness concerning dams <i>T.A. Sancho Marco (Spain)</i>	1327
Bujagali dam – socio-impact on people <i>J. Mwami (Uganda)</i>	1333
Analysis of social impact on water conservancy and hydropower development <i>S. Guoqing & Fu Weiqun (China)</i>	1337
Social demand for dam construction in Spain: Forest fires, rural tourism and environment <i>S. García Wolfrum, P. García Cerezo & G. García Hernández (Spain)</i>	1345
Dam safety criteria: A “paradigm” to be reviewed <i>C.H. de A.C. Medeiros & O. de S. Tórres (Brazil)</i>	1351
Author index	1355

Preface

These volumes contain the Proceedings of the International Symposium on Dams in Societies of the 21st Century, held in Barcelona (Spain) on 18th June, 2006, as part of the 22nd ICOLD International Congress. The proceedings comprise 203 papers, from 50 countries, together with General Reports from Symposium sessions. Together, this constitutes an in-depth analysis of the potential role to be played by dams and reservoirs in water development, and management challenges in the 21st Century. The papers are presented under the following headings:

1. Role of dams and reservoirs
2. Benefits of dams
3. Dam Engineering and analysis of alternatives
4. Social and environmental aspects

Water is an essential resource for life and the environment. During the second half of the twentieth century, an increase in the world's population and the economic and social progress of the developed countries, has put serious pressures on water. Numerous countries across the planet are now affected by a water crisis. Statistics emphasise the urgency of the situation:

- 18% of the world population do not have access to safe drinking water
- 40% of the world population lack access to adequate sanitation
- 50% of the world population is subject to water stress, and by 2025 it is estimated that the figure will be 65%

There is increasing stress on water ecosystems as the natural environment continues to be impacted. The incidence and extent of flooding has increased, and water can be seen in many situations as a hazard rather than a resource.

Over the last years, numerous international organizations have promoted a variety of initiatives and proposals, with a view to mitigating the water problem. The United Nations has designated the period between 2005 and 2015 as the International Decade for Action: *Water for Life*. During this period, the focus will be on undertaking real and effective measures, in an effort to meet the Millennium's targets: including reducing by half the population that is currently completely lacking in the essential water supply and sanitation services.

The renewable water resources in the world, which emanate from the hydrological cycle, are constitute approximately 40,000 km³/year. However, these resources are distributed extremely irregularly, not only in time but also geographically and only about 9,000 km³/year are available as natural accessible resources. Over the past 5000 years, more than 50,000 large dams have been constructed and these large dams and reservoirs regulate some 3,500 km³ per year. This represents 30% of the world's available water resources which reaches the end users after having been regulated by dams and reservoirs. The water that is stored and regulated by dams and reservoirs produces irreplaceable water resources and brings benefits to water supply, irrigation, hydropower, flood mitigation, river navigation, recreation, tourism and the environment. Of the world's arable land, 17% is irrigated in this manner, producing 40% of the total world crop. Reservoirs regulate around 40% of the water for irrigation, which supports 15% of the total food production. Furthermore, hydropower, which is a clean and environmentally-friendly source of energy, yields 20% of the world's generated electricity supply, while 20% of the world's reservoirs account for a reduction in the major socio-economic impact of flooding. The data mentioned here illustrates the extent to which dams and reservoirs contribute to the availability of water resources, and to the economic and social development of many countries.

All studies, research work and surveys indicate that the stock of dams, and the reservoir volume per capita, is closely linked to a country's stage of socio-economic development (Gross National Income per capita and Human Development Index). Developed countries have an ample stock of dams and reservoirs, and in general terms, the greater the stock in volume of reservoirs is, the greater its contribution to development will be. However, experience has shown us that dams and reservoirs can, in some cases, have other major social and environmental impacts, so it is necessary to consider them within the framework of Integrated Water Resource Management and sustainable development. All feasible alternatives should be considered as part of this holistic approach.