

PIERO SEMBENELLI  
MILANO

VOLUME 89 NO. SM1  
FEBRUARY 1963  
PART 1

**JOURNAL of the**  
*Soil Mechanics*  
*and Foundations*  
*Division*

---

**PROCEEDINGS OF THE**



**AMERICAN SOCIETY  
OF CIVIL ENGINEERS**

## BASIC REQUIREMENTS FOR MANUSCRIPTS

Original papers and discussions of current papers should be submitted to the Manager of Technical Publications, ASCE. Authors should indicate the technical division to which the paper is referred. The final date on which a discussion should reach the Society is given as a footnote with each paper. Those who are planning to submit material will expedite the review and publication procedures by complying with the following basic requirements:

1. Titles must have a length not exceeding 50 characters and spaces.
2. A summary of approximately 50 words must accompany the paper, a 300-word synopsis must precede it, and a set of conclusions must end it.
3. The manuscript (an original ribbon copy and two duplicate copies) should be double-spaced on one side of 8½-inch by 11-inch paper. Three copies of all illustrations, tables, etc., must be included.
4. The author's full name, Society membership grade, and footnote reference stating present employment must appear on the first page of the paper.
5. Mathematics are recomposed from the copy that is submitted. Because of this, it is necessary that letters be drawn carefully, and that special symbols be properly identified. The letter symbols used should be defined where they first appear, in the illustrations or in the text, and arranged alphabetically in an Appendix.
6. Tables should be typed (an original ribbon copy and two duplicate copies) on one side of 8½-inch by 11-inch paper. Specific illustrations and explanation must be made in the text for each table.
7. Illustrations must be drawn in black ink on one side of 8½-inch by 11-inch paper. Because illustrations will be reproduced with a width of between 3-inches and 4½-inches, the lettering must be large enough to be legible at this width. Photographs should be submitted as glossy prints. Explanations and descriptions must be made within the text for each illustration.
8. The desirable average length of a paper is about 12,000 words and the absolute maximum is 18,000 words. As an approximation, each full page of typed text, table, or illustration is the equivalent of 300 words.
9. Technical papers intended for publication must be written in the third person.
10. The author should distinguish between a list of "Reading References" and a "Bibliography," which would encompass the subject of his paper.

Reprints from this Journal may be made on condition that the full title, name of author, name of publication, page reference, and date of publication by the Society are given. The Society is not responsible for any statement made or opinion expressed in its publications.

This Journal is published bi-monthly by the American Society of Civil Engineers. Publication office is at 2500 South State Street, Ann Arbor, Michigan. Editorial and General Offices are at United Engineering Center, 345 East 47th Street, New York 17, N.Y. \$4.00 of a member's dues are applied as a subscription to this Journal. Second-class postage paid at Ann Arbor, Michigan.

The index for 1961 was published as ASCE Publication 1962-10 (list price \$2.00); indexes for previous years are also available.

EM, HY, SA, SM, ST.

Journal of the  
SOIL MECHANICS AND FOUNDATIONS DIVISION  
Proceedings of the American Society of Civil Engineers

SOIL MECHANICS AND FOUNDATIONS DIVISION  
EXECUTIVE COMMITTEE

John Lowe, III, Chairman; Wesley G. Holtz, Vice Chairman;  
Reginald A. Barron; Bramlette McClelland; H. Bolton Seed, Secretary  
Leland J. Walker, Board Contact Member

COMMITTEE ON PUBLICATIONS

Robert V. Whitman, Chairman; John A. Focht, Jr.; Harold J. Gibbs;  
James P. Gould; Kenneth S. Lane; L. C. Reese; Frank E. Richart, Jr.;  
Woodland G. Shockley; R. J. Woodward;  
H. Bolton Seed, Executive Committee Contact Member

CONTENTS

**PIERO SAMBENELLI**  
**MILANO**

February, 1963

Papers

|  | Page |
|--|------|
| Model Studies of Beams Resting on a Silt Subgrade<br>by Aleksandar B. Vesić and Wesley H. Johnson . . . . .                        | 1    |
| Elastic Wave Velocities in Granular Soils<br>by B. O. Hardin and F. E. Richart, Jr. . . . .  | 33   |
| Pomme de Terre Dam of Earth and Rockfill<br>by L. G. Elser and D. E. Schuster . . . . .  | 67   |
| Oahe Dam: Influence of Shale on Oahe Power Structures Design<br>by E. A. Johns, R. G. Burnett, and C. L. Craig . . . . .<br>(over) | 95   |

Copyright 1963 by the American Society of Civil Engineers.

Note.—Part 2 of this Journal is the 1963-6 Newsletter of the Soil Mechanics Division.

The three preceding issues of this Journal are dated August 1962, October 1962, and December 1962.

|   |     |
|---|-----|
| Hyperbolic Stress-Strain Response: Cohesive Soils<br>by Robert L. Kondner . . . . .       | 115 |
| Study of Failure Envelope of Soils<br>by T. H. Wu, A. K. Loh, and L. E. Malvern . . . . . | 145 |
| Shear Strength Properties of a Sodium Illite<br>by Roy E. Olson . . . . .                 | 183 |
| Earthquake Resistance of Sloping Core Dams<br>by H. B. Seed and R. W. Clough . . . . .    | 209 |

---

DISCUSSION

---

|  |                                 |
|--|---------------------------------|
| Soil Heave and Redriving,<br>by Earle J. Klohn. (August, 1961. Prior discussion:<br>December, 1961, February, April, 1962. Discussion<br>closed.)<br>by Earle J. Klohn (closure) . . . . .   | 245                             |
| Pore Pressures in a Foundation Clay,<br>by T. William Lambe. (April, 1962. Prior discussion:<br>October, 1962. Discussion closed.)<br>by T. William Lambe (closure) . . . . .  | 257                             |
| Friction and Cohesion of Saturated Clays,<br>by T. H. Wu, A. G. Douglas, and R. D. Goughnour.<br>(June, 1962. Prior discussion: October, 1962.<br>Discussion closed.)<br>by Vojtěch Mencl. . . . .<br>by John H. Schmertmann . . . . .<br>by R. G. Bea . . . . .                           | 259<br>260<br>268               |
| Friction Pile Groups in Cohesive Soil,<br>by Robert L. Kondner. (June, 1962. Prior discussion:<br>None. Discussion closed.)<br>by R. B. Peck and M. T. Davisson . . . . .<br>by Lymon C. Reese and Harry M. Coyle . . . . .<br>by A. P. K. Tate . . . . .                                  | 279<br>285<br>290               |
| An Approach to Rock Mechanics,<br>by Klaus W. John. (August, 1962. Prior discussion:<br>None. Discussion closed.)<br>by Karl Terzaghi . . . . .<br>by Lauritz Bjerrum and Finn Jørstad . . . . .<br>by V. Mencl. . . . .<br>by Adolf A. Meyer . . . . .<br>by Charles J. Monahan . . . . . | 295<br>300<br>303<br>304<br>306 |

|  |     |
|--|-----|
| Experience with Canadian Varved Clays,<br>by V. Milligan, L. G. Soderman, and A. Rutka.<br>(August, 1962. Prior discussion: None. Discussion<br>closed.) |     |
| by T. William Lambe . . . . .  | 309 |
| by W. J. Eden . . . . .  | 309 |
| Direct-Shear Test for Effective Parameters,<br>by Hugh M. O'Neil. (August, 1962. Prior discussion:<br>None. Discussion closed.)                          |     |
| by Leslie G. Bromwell and Charles C. Ladd . . . . .  | 313 |
| by Raymond H. Rogers . . . . .   | 316 |
| by Carl B. Crawford . . . . .  | 316 |
| Bearing Capacity of Foundations,<br>by Arpad Balla. (October, 1962. Prior discussion:<br>None. Discussion closes March 1, 1963.)                         |     |
| by G. G. Meyerhof . . . . .  | 319 |